





Meritor Axle Model RT-46160 - RD-23160 - Carrier A6-3200-Q-1837

Pro Gear parts and service manual for <u>Meritor Axle Model RT-46160 - RD-23160 - Carrier A63200Q1837</u> to assist you in identifying the correct configuration of your Meritor Axle. This Meritor A63200Q1837 axle, is available and ready for international shipping. Call today!

If you need any assistance identifying the correct Meritor axle unit for your truck or equipment, contact your Meritor axle replacement specialists at Pro Gear and Transmission.

Pro Gear stocks every part for your Meritor axle RT46160 and RD23160. We have 1000's of products in shop that are ready to ship internationally for your next project.


For parts or service contact the Meritor specialists at Pro Gear & Transmission, Inc.



Pro Gear and Transmission, Inc | www.progearandtransmission.com | www.pgttruckparts.com 906 West Gore St, Orlando, Fl, 32805 | +1 (877)-776-4600 | +1 (407)-872191 | parts@eprogear.com




FIGURE 1 FORWARD CARRIERS OF TANDEM AXLES (USE WITH CHART 1)



[•] Circled O numbers are diff. lock parts or parts that change when diff. lock is added.


[•] Squared ☐ numbers are oil pump parts or parts that change when oil pump is added. Pro Gear and Transmission, Inc | www.progearandtransmission.com | www.pgttruckparts.com 906 West Gore St, Orlando, FI, 32805 | +1 (877)-776-4600 | +1 (407)-872191 | parts@eprogear.com

(USE WITH CHART 2)



[•] Circled O numbers are diff. lock parts or parts that change when diff. lock is added.

SUPPLEMENTAL DRAWING CARRIERS WITH INTERNAL A.B.S.




[•] Circled O numbers are Forward Axle Assembly parts.

REAR DRIVE AXLES

Model Numbers and Designations

Axle models are identified by a letter and number system. The letters and numbers give important information about the specific axle model.

The first seven positions of the designation identify a basic axle model, while the second group of letters and numbers identify particular specifications.



NOTE 1:

If a complete axle designation is not required, use the first seven positions of the model designation to identify the basic axle model.

EXAMPLES OF BASIC AXLE MODELS:

RS 17 140 - Single Rear Drive, 17,000 lb., Single Speed, 15" Ring Gear, 140 Carrier Model.

RT 48 380 - Tandem Drive Axle Set, 48,000 lb., Helical Double Reduction, 19.62" Ring Gear, 380 Carrier Model.

RZ 60 164 - Tridem Drive Axle Set, 60,000 lb., Single Speed, Includes a 150 Series Forward Rear or First Axle and a 145 Series

Tandem Axle Set as the Second and Third Axles

NOTE 2, FOR TRIDEM AXLES ONLY: For a Tridem Drive Axle Set (**RZ**), the number in the sixth position designates the carrier in the first axle. The number in the seventh position designates the carriers in the second and third axles.

NOTE 3:

Some axle designations or specifications do not have a hub type code.

HOW TO USE THIS CATALOG

There are 36 basic carriers covered in this catalog:

3200-C-1511	3200-P-1706	3200-C-1823	3200-V-1894	3200-K-2117
3200-Z-1560	3200-R-1708	3200-E-1825	3200-W-1895	3200-L-2118
3200-P-1628	3200-V-1712	3200-Q-1837	3200-Y-1897	3200-J-2137
3200-J-1648	3200-W-1713	3200-H-1854	3200-J-1908	3200-K-2138
3200-T-1658	3200-X-1818	3200-J-1856	3200-K-1909	
3200-V-1660	3200-Y-1819	3200-K-1857	3200-D-1928	
3200-K-1701	3200-Z-1820	3200-L-1858	3200-E-1929	
3200-M-1703	3200-A-1821	3200-T-1892	3200-J-2116	

Major assembly differences in a carrier are indicated by the different assembly level numbers in front of the base carrier number, for example, A1-3200-V-1894 and A4-3200-V-1894. The Axle Models-Carriers-Features chart inside this front cover lists all the variations covered in this book.

Note: The carriers listed in this catalog do not include yokes. A yoke is a major assembly difference, therefore, a carrier sold with a yoke has a different assembly level number than the same carrier without the yoke.

- The charts for carriers, output shafts, and housings include the following information:
 - An exploded view of each assembly, keyed to the parts list
 - A description of each part
 - Parts sold as assemblies that include other parts
 - Which carriers or axle models the part is used on
 - The quantity of the part used on the carrier or axle
 - The part number of each item
 - Whether the part is available in a kit

Carrier parts:

Determine which chart and figure (1 or 2) applies to your carrier by using the following sources of information.

- Identification tag installed on the carrier
- Axle Models-Carriers-Features Chart
- Pictures and descriptions of the carriers inside the front cover and at the beginning of Chart 1 and Chart 2

Output (thru) shafts:

This chart covers the output shafts for the forward axles of all tandems. Note that the output shaft assembly or its components are only sold as separate items. The output shaft is not included with the purchase of a carrier or housing.

• Housing Assemblies and Wheel End Parts:

This chart covers the housing assemblies and wheel end parts for all axles. The parts are listed according to axle models that are used on 160, 161 and 164 series axles.

· Axle shafts:

The axle shafts are grouped in sets (L.H. and R.H.) according to the axle models they are used on. Many axle shafts are used on more than one axle model. The axle shafts are also listed by part number with dimensions.

Yokes and Flanges:

There are four charts that cover full round bearing yokes, wing bearing yokes, Easy Service yokes, and flanges. Each chart lists the yokes or flanges used on each model. The yokes and flanges are listed by dimensions.

• Kits:

The first chart in this section lists all the kits available for each axle model and carrier. Following that chart, the kits are sequenced according to the kit number and list the contents of each kit.

Numerical Parts List:

This section lists every part number along with the page(s) on which the part is listed.

AXLE MODELS - CARRIERS - FEATURES 160, 161 & 164

Single Reduction Axles (Single & Tandem)

AXL	E MODELS	3	•	INTER-	MAIN	NO-		CARRIER
(All models	shown be	low are		AXLE	DIFF.	SPIN®	OIL	PARTS
2.38"-4	16 axle spli	ne)	CARRIERS	DIFF.	LOCK	DIFF.	PUMP	CHART NO.
RS-21160/161	Single Axl	e	A1-3200-P-1706					2
RS-23160/161			A-3200-E-2137 (1)					2
RS-24160/161			A-3200-F-2138 (1)		•	•		2
RS-25160/161								
RS-26160/161								
RT-40160	Forward	RD-20160	A6-3200-Q-1837 (2)	•				1
RT-46160		RD-23160	A-3200-J-2116 (1)	•				1
RT-46164		RD-23164	A1-3200-J-1908 (2)	•	•			1
RT-50160		RD-25160	A3-3200-L-2118 (1)	•	•			1
RT-50164		RD-26160	A1-3200-J-2116 (1)	•		•		1
RT-52160		RP-20160	A1-3200-K-1909 (2)	•			•	1
RT-52164		RP-23160	A-3200-K-2117 (1)	•			•	1
		RP-23164	A5-3200-K-1909 (2)	•	•		•	1
		RP-25160	A3-3200-K-2117 (1)	•	•		•	1
		RP-26160	A1-3200-K-2117 (1)	•		•	•	1
		RP-29160						
	Rear	RR-20160	A1-3200-P-1706					2
		RR-23160	A-3200-E-2137 (1)					2
		RR-23164	A1-3200-A-1821 (2)					2
		RR-25160	A1-3200-T-1892		•			2
		RR-26160	A-3200-F-2138 (1)		•			2
		RR-29160	A1-3200-D-1928 (2)		•			2
			A17-3200-P-1706			•		2

REMAN AXLE MODEL OFFERING

REMAN AXLE	OEM PRODUCTION	
DESIGNATION	DESIGNATION	COMMENTS
RD23160/164	RT46/50/52160 Forward	
	RT46/50/52164 Forward	
RP23160/164	RT46/50/52160 Forward	With pump
	RT46/50/52164 Forward	
RDL23160/164	RT46/50/52160 Forward	With main diff. lock
	RT46/50/52164 Forward	
RPL23160/164	RT46/50/52160 Forward	With pump and main diff. lock
	RT46/50/52164 Forward	
RR23160/164	RT46/50/52160 Rear	Can be used as a single axle replacement for RS23160
	RT46/50/52164 Rear	
RRL23160/164	RT46/50/52160 Rear	With main diff. lock, can be used as a single axle replacement for
	RT46/50/52164 Rear	RS23160 with main diff. lock

(1) Tapered dow el

(2) With thrust screw

STANDARD CARRIER SUPERCESSION LIST

ORIGINAL	REPLACEMENT
PART NUMBER	PART NUMBER
A15-3200-C-1511	A1-3200-Y-1897 *
A17-3200-C-1511	A4-3200-Y-1897 *
A24-3200-Z-1560	A17-3200-P-1706
A26-3200-Z-1560	A1-3200-P-1706
A27-3200-Z-1560	A1-3200-T-1892
A9-3200-P-1628	A1-3200-V-1894
A12-3200-P-1628	A4-3200-V-1894
A14-3200-P-1628	A9-3200-V-1894
A1-3200-J-1648	A1-3200-X-1818
A4-3200-J-1648	A4-3200-X-1818
A1-3200-T-1658	A1-3200-P-1706
A13-3200-T-1658	A17-3200-P-1706
A1-3200-V-1660	A1-3200-T-1892
A1-3200-K-1701	A1-3200-V-1894
A4-3200-K-1701	A4-3200-V-1894
A6-3200-K-1701	A9-3200-V-1894
A1-3200-M-1703	A1-3200-X-1818
A4-3200-M-1703	A4-3200-X-1818
A1-3200-P-1706	B57-3200-P-1706
A17-3200-P-1706	B58-3200-P-1706
A1-3200-R-1708	A1-3200-T-1892

ORIGINAL	REPLACEMENT
PART NUMBER	PART NUMBER
A1-3200-V-1712	A1-3200-Y-1897 *
A4-3200-V-1712	A4-3200-Y-1897 *
A11-3200-V-1712	A11-3200-E-1825
A1-3200-W-1713	A1-3200-W-1895
A1-3200-X-1818	A-3200-J-2116S
A4-3200-X-1818	A1-3200-J-2116S
A1-3200-Y-1819	A1-3200-W-1895
A1-3200-Z-1820	A1-3200-V-1894
A4-3200-Z-1820	A4-3200-V-1894
A6-3200-Z-1820	A9-3200-V-1894
A1-3200-C-1823	A1-3200-T-1892
A1-3200-E-1825	A1-3200-Y-1897 *
A4-3200-E-1825	A4-3200-Y-1897 *
A1-3200-T-1892	A34-3200-T-1892
A1-3200-V-1894	A3-3200-K-2117S
A4-3200-V-1894	A-3200-K-2117S
A9-3200-V-1894	A1-3200-K-2117S
A1-3200-W-1895	A3-3200-L-2118S
A1-3200-Y-1897	A23-3200-Y-1897 *
A4-3200-Y-1897	A22-3200-Y-1897 *

The part number supercessions listed here reflect product improvements made in several key areas. Several of these product improvements are non-interchangeable at the component level, in these cases kits have been developed to ease your transition to the new designs.

With the exception of reverse shift carriers built for Navistar, all carriers equipped with driver controlled main differential lock now have a screw in shift cylinder. The Interaxle differential shift cylinder for these carriers is also a screw in type.

^{*} No Longer Available - can use steel (malleable) version.

TABLE OF CONTENTS

	PAGE
Forward Carriers of Tandem Axles	2
Carriers for Single Axles and Rears of Tandem Axles	8
Output (Thru) Shaft Assembly Parts	14
Housing Assemblies and Wheel End Parts	15
Axle Shafts	16
Yokes and Flanges -	
Full Round Bearing Yokes	19
Wing Bearing Yokes	20
Easy Service Yokes	21
Companion Flanges	22
Axle Model to Carrier to Kit Cross Reference	23
Kits	28
Numerical Parts Listing	42

XpresswayPlus.ArvinMeritor.com

Don't forget about using XpresswayPlus for:

- Ordering parts online
- Order status
- · Price and availability
- Invoice Lookup
- Parts Catalog

- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator


XpresswayPlus.ArvinMeritor.comFor all of your parts-ordering needs

 Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

(Use with Figure 1, Inside Front Cover)

VISUAL IDENTIFICATION OF FORWARD CARRIERS



The following carriers are equipped with a thrust screw: 3200-Q-1837, 3200-K-1909, 3200-J-1908.

The following carriers are machined for Internal ABS Sensors: 3200-L-1857, 3200-L-1858.

ITEM	DESCRIPTION		REMARKS	CARRIER	QTY	PART NUMBER
1	Nut - input yoke & sha	ıft		Included in KIT 2826	1	40-X-1233
1A	Washer - input nut				1	1229-N-1730
2, 3	Yoke & deflector asser	mbly - input			1	SEE YOKE CHARTS
4	Capscrew - input beari	ing cage			7	MS-212040-2
5	Washer - input bearing				7	MWA-512
6	Seal & sleeve assemb				1	A1-1205-X-2728
7, 10	Bearing, cage & cup a			All less pump	1	A-3226-S-1137
·	3, 3, 1	, ,		All with pump		A-3226-H-1126
8	Shims - input bearing	.003"/.076mm	Included in KIT 2429		Use as	2203-K-9241
	cage	.005"/.127mm			req.	2203-L-9242
	3.	.010"/.254mm			- 1	2203-M-9243
9	O-ring - input bearing				1	5-X-1343
10	Cup - input shaft beari				1	HM813810
11	Cone - input shaft bea				1	HM813843
12	Baffle - oil	9	Use without oil pump		1	3221-P-1004
13	Washer - oil baffle				3	1229-E-1669
14	Capscrew - oil baffle					MS-208016-1
15, 1	Input shaft & nut asser	mhly		All less pump	1	A-3297-T-1606
10, 1	Input shaft, nut, ball &	nin assv	Carriers with pump	All others	· ·	A1-3297-S-1605
	imput shart, nat, ball a	piii ussy.	Odiners with pump	For old style A1-3297-H-1022		KIT 2624
				input shaft		KI1 2027
16	Thrust washer - helica	Il drive gear	Included in KIT 2796	input snatt	1	1229-S-4985
17	Gear - helical drive ge		moluucu iii KIT 2770		1	3892-T-4934
18	Capscrew - inter-axle		 		8	MS-210045A-1
19	Washer - inter-axle diff		 		8	1229-K-1597
20, 18, 19	Case assembly - inter-		 	After 10/00	1	A5-3235-A-2393
20, 10, 17	Case assembly - inter-	-axie		Prior to 10/00.		A1-3235-A-2393
				Includes Items 25 & 27		H 1-3233-H-2373
20 10 10 21	Diff. case & pinion nes	st accy inter ayle	 	Includes Items 25 & 27	1	A3-3235-A-2393
20,16, 19, 21, 22, 23, 27	Dill. case & pirilon nes	st assy - inter-axie		includes items 25 & 27	ı	A3-3233-A-2393
21	Spider (cross) - inter-a	wlo diff	 	Included in KIT 2248	1	3278-N-300
22	Pinion gear - inter-axle		 	Iliciuded III KIT 2246	4	2233-K-245
			 			1229-Q-2929
23	Thrust washer - inter-a				4	2297-S-5349
24 25	Snap ring - inter-axle c		Included in KIT 2796	After 10/00	1	3107-P-1212
25	Ciulch collar - Inter-axi	ie aiii.	included in KH 2796	After 10/00 Prior to 10/00.	- 1	
						A1-3235-A-2393
24	Cido goor interpula	diff roor	 	Includes Items 25 & 27	1	2234-T-1190
26	Side gear - inter-axle of		 		1	
27	Shift fork - inter-axle di				1	3296-B-1328
	Cama waawaida waawi					
28	Cone - rear side gear l	bearing			1	JLM714149
29	Cup - rear side gear be	bearing earing			1	JLM714110
29 30	Cup - rear side gear be Adjusting screw - shift	bearing earing shaft				JLM714110 41-X-1208
29 30 31	Cup - rear side gear be Adjusting screw - shift Jam nut - adjusting scr	bearing earing shaft rew			1 1	JLM714110 41-X-1208 MN-312-1
29 30 31 32	Cup - rear side gear be Adjusting screw - shift Jam nut - adjusting scr Spring - shift shaft retu	bearing earing shaft rew urn			1 1 1	JLM714110 41-X-1208 MN-312-1 2258-U-411
29 30 31 32 33	Cup - rear side gear be Adjusting screw - shift Jam nut - adjusting scr Spring - shift shaft retu Shift shaft - inter-axle of	bearing earing shaft rew urn diff.			1 1 1 1 1	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825
29 30 31 32	Cup - rear side gear be Adjusting screw - shift Jam nut - adjusting scr Spring - shift shaft retu	bearing earing shaft rew urn diff.	Screw-in style		1 1 1	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw Spring - shift shaft return Shift shaft - inter-axle Shift assy inter-axle	bearing earing shaft rew urn diff. diff. air	Bolt-on style		1 1 1 1 1 1	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured Shift shaft - inter-axle ushift assy inter-axle Capscrew - air shift as	bearing earing shaft rew urn diff. diff. air	Bolt-on style Bolt-on style	2000 14110	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73	3200-J-1648	1 1 1 1 1 1	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured Shift shaft - inter-axle ushift assy inter-axle Capscrew - air shift as	bearing earing shaft rew urn diff. diff. air	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56	3200-J-1648 Original design	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	.	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17	Original design	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS	Original design 3200-K-1857	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing	Original design 3200-K-1857 3200-M-1703	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft retured shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw	Original design 3200-K-1857 3200-M-1703 3200-Q-1837	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-Q-1837
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD shifter	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-Q-1837 A2-3200-J-2116S
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift	Original design 3200-K-1857 3200-M-1703 3200-Q-1837	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-Q-1837
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-J-2116S A2-3200-J-1908
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw Original design	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-Q-1837 A2-3200-J-2116S
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw Original design Screw in IAD & main diff. shift cyl.	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-J-1908 No Longer Available A2-3200-L-2118S
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw Original design	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-U-1837 A2-3200-J-2116S A2-3200-J-1908 No Longer Available
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump,	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw Original design Screw in IAD & main diff. shift cyl.	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908 3200-W-1713 3200-W-1895, 3200-L-2118	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-J-2116S A2-3200-J-1908 No Longer Available A2-3200-L-2118S
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump, With diff. lock	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw Original design Screw in IAD & main diff. shift cylinder, with IAD & main diff. shift cyl. Screw-in IAD & main diff. shift cyl.	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908 3200-W-1713 3200-W-1895, 3200-L-2118 3200-Y-1819	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2644 RIT 2644B A2-3200-J-1908 No Longer Available A2-3200-L-2118S KIT 2764
29 30 31 32 33 34	Cup - rear side gear but Adjusting screw - shift Jam nut - adjusting screw - shift shaft return Shift shaft - inter-axle with Shift assy inter-axle Capscrew - air shift as Differential carrier &	bearing earing shaft rew urn diff. diff. air ssembly Less pump, Less diff. lock Less pump, With diff. lock	Bolt-on style Bolt-on style Ratios - 3.07, 3.21, 3.42, 3.57, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS New differential bearing Screw-in IAD shifter, w/thrust screw Screw-in IAD & main diff. shift cylinder, with thrust screw Original design Screw in IAD & main diff. shift cylinder, with IAD shifter Screw-in IAD & main diff. shift cyl. Screw-in IAD shifter	3200-K-1857 3200-M-1703 3200-Q-1837 3200-X-1818, 3200-J-2116 3200-J-1908 3200-W-1713 3200-W-1895, 3200-L-2118 3200-Y-1819 3200-K-1909	1 1 1 1 1 1 1 4	JLM714110 41-X-1208 MN-312-1 2258-U-411 KIT 2825 KIT 2825 A-3261-L-350 10-X-1334 KIT 2644 KIT 2644A KIT 2644B A2-3200-K-1857 KIT 2618 A2-3200-J-1908 No Longer Available A2-3200-L-2118S KIT 2764 A2-3200-K-1909

		IONWIND	CARRIERS OF TAI	NDLINI AALLS		
ITEM	DESCRIPTION		REMARKS	CARRIER	QTY	PART NUMBER
36, 61, 62	Differential carrier &	With pump,	New differential bearing	3200-K-1701	1	KIT 2616
(Cont)	cap assembly	With diff. lock	Screw-in IAD & main diff. shift	3200-K-1909	1	A2-3200-K-1909
(55111)			cylinder, with thrust screw	0200 K 1707		0200 10 1707
				3200-P-1628		VIT 2440
			Ratios - 3.07, 3.21, 3.42, 3.58, 3.73			KIT 2640
			Ratios - 3.91, 4.10, 4.30, 4.56	Original design		KIT 2640A
			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			KIT 2640B
			6.83, 7.17			
			Screw-in IAD & main diff. shift	3200-V-1894		A2-3200-K-2117S
			cylinder	3200-K-2117		THE OLOO IN ETTY O
			Screw-in IAD shifter	3200-K-2117 3200-Z-1820		KIT 2763
	T	,	Sciew-III IAD Stillel	3200-2-1820		
36A	Thrust screw (not show	vn)			1	15-X-1167
36B	Jam nut (not shown)				1	1227-D-472
37	Washer - carrier to hou	using	Ref. only - not		12	1229-W-1557
38	Nut - carrier to housing		included with any		2	NL-110-1
39	Capscrew - carrier to	Long	carrier		3	10-X-1599
37	housing	Short	Carrier		7	10-X-1594
10.50			0.07.5. #			
40, 50	Drive gear pinion & nu	t assembly	3.07 Ratio			A-39654-1
			3.21 Ratio		req.	A-39656-1
			3.42 Ratio			A-39658-1
			3.58 Ratio			A-39660-1
			3.73 Ratio	1		A-39662-1
			3.91 Ratio			A-39876-1
			4.10 Ratio			A-39878-1
			4.30 Ratio			A-39880-1
			4.56 Ratio			A-39882-1
			4.89 Ratio			A-39664-1
			5.38 Ratio			A-39666-1
			5.63 Ratio			A-39672-1
			6.14 Ratio			A-39674-1
			6.43 Ratio			A-39892-1
			6.83 Ratio			A-41064-1
			7.17 Ratio			A-39896-1
41	Cono drivo ninion inn	or hooring	7.17 Katio		1	H715343
	Cone - drive pinion inn				1	
42	Cup - drive pinion inne	r bearing			1	H715311
43	Shims - pinion inner	.003"/.076mm	Included in KIT 2429		Use as	2203-F-2788
	bearing cup	.005"/.127mm			req.	2203-G-2789
		.010"/.254mm	7			2203-H-2790
44	Spacer - pinion bearing				1	1244-W-1765
45	Gear - helical driven	y IIIII GI			1	3892-U-4909
		4548/44 45	L L L L MT 0007			
46	Spacers - pinion	.451"/11.45mm	Included in KIT 2397		Use 2 as	2203-V-9824
	bearing outer	.452"/11.48mm			req.	2203-W-9825
	(variable thickness)	.453"/11.50mm				2203-X-9826
	1	.454"/11.53mm	7			2203-Y-9827
		.455"/11.55mm	┥			2203-T-7627 2203-Z-9828
		.459"/11.65mm	-			2203-A-9829
		.463"/11.75mm	<u>_</u>			2203-B-9830
		.467"/11.85mm				2203-C-9831
		.470"/11.95mm	7			2203-D-9832
		.474"/12.05mm	┥			2203-E-9833
		.478"/12.15mm	┥			
			┥			2203-F-9834
		.482"/12.25mm				2203-G-9835
		.483"/12.28mm				2203-H-9836
		.484"/12.30mm	7			2203-J-9838
		.485"/12.33mm	-			2203-K-9839
		.486"/12.35mm	┥			2203-K-9839 2203-L-9840
47	Cup delica eletere e				1	
47	Cup - drive pinion oute				1	65500
48	Cone - drive pinion out	ter bearing			1	65237
49	Washer - drive pinion				1	1229-G-4063
	Nut - drive pinion				1	40-X-1145
50	, p				1	3266-C-1095
50 51	Cover - drive ninion		i i		1 1	3200-O-107J
51	Cover - drive pinion	covor			Г	1220 V 1507
51 52	Washer - drive pinion of				5	1229-K-1597
51 52 53	Washer - drive pinion of Capscrew - drive pinion	n cover			5	MS-210020-1
51 52	Washer - drive pinion of	n cover	Both sides	1628, 1648 carriers 3200-K-1857 (ABS)		

ITEM		DEMARKS OF TA		OTV	DADT NUMBER
ITEM	DESCRIPTION Adjusting rings - diff. bearing (Cont)	REMARKS LH side	CARRIER 3200-L-1858 (ABS)	QTY 1	PART NUMBER KIT 2830
54 (Cont)	Adjusting fings - diff. bearing (Cont)	RH side	3200-L-1858 (ABS)	'	2214-Z-1144
		LH side	3200-Z-1820, 3200-V-1894,		2214-J-1128
		RH side	3200-Z-1020, 3200-V-1074,		2214-G-1125
		Both sides	All other non-ABS	2	2214-G-1125
55	Cups - diff. bearing	Both sides	1628, 1648 carriers	2	A1-1228-B-600
33	oups um. bearing	Don't sides	1703, 1818, 1837 carriers	_	592A
		LH side	All others	1	52618
		RH side			592A
56	Cones - diff. bearing	Both sides	1628, 1648 carriers	2	A1-1228-B-600
	J		1703, 1818, 1837 carriers		594A
		LH side	All others	1	52400
		RH side			594A
57	Capscrew - main diff. case			12	41-X-1275
58	Washer - main diff. case			12	1229-U-1503
59, 57, 58	Case assembly - main diff.	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-J-1648		A10-3235-S-1813
		Ratios - 3.91, 4.10, 4.30, 4.56	Less diff. lock	req.	A10-3235-F-1982
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A10-3235-H-1984 ²³
		6.83, 7.17	0000 1/ 4704 0000 14/ 4740		A 0 000F 0 0400
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56	3200-K-1701, 3200-W-1713, 3200-Y-1819, 3200-Z-1820,		A2-3235-C-2109 A2-3235-E-2111
			3200-Y-1819, 3200-Z-1820, 3200-V-1895,		
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17	3200-V-1694, 3200-W-1695, 3200-J-1908, 3200-K-1909,		A2-3235-G-2113
		0.03, 7.17	3200-K-2117, 3200-L-2118		
			With diff. lock		
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-K-1701, 3200-Z-1820,		A5-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-V-1894, 3200-K-1909,		A5-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	3200-K-2117		A5-3235-G-2113
		6.83, 7.17	Less diff. lock		
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-M-1703, 3200-X-1818,		A-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-Q-1837, 3200-J-2116		A-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock		A-3235-G-2113
		6.83, 7.17	2200 D 1/20		A12 2225 C 1012
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-P-1628 With diff. lock		A12-3235-S-1813
		Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Willi dill. lock		A12-3235-F-1982 A12-3235-H-1984 ²³
		6.83, 7.17			А12-3233-П-19042
50 57 58 64	Case & nest assembly - main diff.	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-J-1648	Ilsa 1 as	A11-3235-S-1813
65, 66, 67, 68	The state of the s	Ratios - 3.91, 4.10, 4.30, 4.56	Less diff. lock	req.	A11-3235-F-1982
127, 227, 237, 23		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A11-3235-H-1984 ²³
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-K-1701, 3200-W-1713,		A3-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-Y-1819, 3200-Z-1820,		A3-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	3200-V-1894, 3200-W-1895,		A3-3235-G-2113
		6.83, 7.17	3200-J-1908, 3200-K-1909,		
			3200-K-2117, 3200-L-2118		
		Pating 3 07 3 21 2 42 2 50 2 72	With diff. lock 3200-K-1701, 3200-Z-1820,		A6-3235-C-2109
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56	3200-K-1701, 3200-Z-1820, 3200-V-1894, 3200-K-1909,		A6-3235-C-2109 A6-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	3200-V-1074, 3200-K-1707,		A6-3235-G-2113
		6.83, 7.17	Less diff. lock		0200 0 2110
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-M-1703, 3200-X-1818,		A1-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-Q-1837, 3200-J-2116		A1-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock		A1-3235-G-2113
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-P-1628		A13-3235-S-1813
		Ratios - 3.91, 4.10, 4.30, 4.56	With diff. lock		A13-3235-F-1982
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A13-3235-H-1984 ²³
EO E7 E0 / 1	Coop 9 most opposible overly diff	6.83, 7.17	2200 K 4057	Hee 1 a	A2 2225 D 247/22
59, 57, 58, 64,	Case & nest assembly - main diff.	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-K-1857,		A2-3235-R-2176 ²³
65, 66, 67, 68, 173, 174, 175		Ratios - 3.91, 4.10, 4.30, 4.56	Internal ABS, Less diff. lock,	req.	A2-3235-S-2177 ²³
1/3, 1/4, 1/3		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less dill. lock,		A2-3235-T-2178 ²³
		6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-L-1858,		A4-3235-R-2176 ²³
		Ratios - 3.91, 4.10, 4.30, 4.56	Internal ABS,		A4-3235-K-2170 ²³
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock,		A4-3235-T-2178 ²³
		6.83, 7.17	With pump		0200 . 2170
	i				

²³ No Longer Available – Contact Florence Specifications for assistance

ITEM	DESCRIPTION	REMARKS	CARRIER	QTY	PART NUMBER
59, 57, 58,	Case & NoSpin assembly - main diff.	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-J-1648	Use 1 as	A14-3235-S-1813
68A		Ratios - 3.91, 4.10, 4.30, 4.56		req.	A14-3235-F-1982
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A14-3235-H-1984 ²³
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-K-1701, 3200-Z-1820,		A8-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-V-1894, 3200-K-1909		A8-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A8-3235-G-2113
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73			A7-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-Q-1837		A7-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A7-3235-G-2113
		6.83, 7.17			
59, 57, 58,	Case assembly - main diff. (ABS ready)	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-K-1857,		A1-3235-R-2176 ²³
173, 174, 175		Ratios - 3.91, 4.10, 4.30, 4.56	Internal ABS,	req.	A1-3235-S-2177 ²³
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock,		A1-3235-T-2178 ²³
		6.83, 7.17	Less pump		
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-L-1858,		A5-3235-R-2176 ²³
		Ratios - 3.91, 4.10, 4.30, 4.56	Internal ABS,		A5-3235-S-2177 ²³
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock,		A3-3235-T-2178 ²³
		6.83, 7.17	With pump		
60	Bolt - gear to diff. case	Included in KIT 2426			41-X-1276
61	Washer - diff. bearing cap			4	42-X-1024
62	Capscrew - diff. bearing cap			4	41-X-1018
63	Pin - adjusting ring lock		ABS carriers	2	19-X-1087
			All others		KIT 4284
64	Thrust washer - side gear	Included in		2	1229-L-3002
65	Side gear - diff.	KIT 2318		2	2234-C-1069
66	Spider - diff. (cross)	with spider,		1	3278-W-335
67	Gear - diff. pinion	KIT 2341		4	2233-M-1001
68	Thrust washer - diff. pinion	less spider		4	1229-K-3001
68A	No-Spin assembly			1	A-3230-C-1043
69	Washer - gear to diff. case	Included in KIT 2426		12	1229-U-1503
70	Nut - gear to diff. case			12	40-X-1182

THE FOLLOWING PARTS ARE FOR MAIN DIFFERENTIAL LOCK

71	DCDL switch kit			1	KIT 4429
Not Shown	Plug - DCDL switchport	Non-DCDL applications only		1	41-X-1022
72	Lock nut - sensor/switch		Used on carriers with	1	1227-P-1056
			3266-F-1020 air cyl. cover		
			prior to 11/93		
73	Spring - main diff. lock		After 11/93	1	2258-N-1262
			Prior to 11/93		2258-L-714
74	Roll pin - spring retaining		Prior to 11/93	1	43-X-1006
75	Shift shaft - main diff. lock		3200-P-1628	1	2244-Y-51
			After 11/93		KIT 2824
			All others prior to 11/93		2244-L-1026
76	Washer - piston		3200-P-1628	1	42-X-1027
77	Piston - main diff. lock		After 11/93	1	KIT 2824
			Prior to 11/93		2230-N-170
78	O-ring - piston		After 11/93	1	5-X-1198
			Prior to 11/93		5-X-1153
79	Tube - air cylinder		Prior to 11/93	1	3196-F-32
80	Gasket - air cylinder cover		Prior to 11/93	1	2208-H-944
81	Capscrew - manual engaging		After 11/93	1	41-X-1368
			Prior to 11/93		41-X-1333
81A	O-ring			1	5-X-521
82	Cover - air cylinder	Screw-in style	After 11/93	1	KIT 2824
		Bolt-on style	Prior to 11/93		3266-F-1020
82A	Plug - screw-in DCDL cylinder hole	Non-DCDL applications only		1	1250-U-1217
83	Plug - air cylinder cover		Prior to 11/93	1	MS-210016-1
84	Gasket - plug		Prior to 11/93	11	2208-L-1000
85	Capscrew - air cylinder cover		Prior to 11/93	4	41-X-1364
86	Washer - air cylinder cover		Prior to 11/93	4	MWA-506
87	Clutch collar - main diff. lock		3200-P-1628	1	3107-F-1020
			All others		3107-B-1094

			_		
ITEM	DESCRIPTION	REMARKS	CARRIER	QTY	PART NUMBER
88	Shift fork - main diff. lock	Three pc. design	3200-Z-1560	1	3296-B-184
		One pc. design	After 11/93		3296-B-1172
			Prior to 11/93		3296-Y-1169 ¹
89	Pin - shift fork	Three pc. design		2	43-X-1007

THE FOLLOWING PARTS ARE FOR OIL PUMP

90	Shield - filter			1	3264-N-1522
91	Plug - oil pressure relief valve	Eliminated on carriers		1	1250-N-1080
92	Washer - plug	built after 5/97		1	1229-F-4062
93	Spring - oil pressure relief valve			1	2258-Z-1118
94	Pressure relief valve - oil			1	2297-U-5273
95	Dowel - input cage to oil pump	No longer used		2	1246-M-1131
96	O-ring - oil pump			1	5-X-1034
97	Oil pump assembly		All others	1	A-3303-P-1030
			For old style A1-3297-H-1022 input shaft		KIT 2624
98	Washer - oil pump		input onait	6	1229-E-1669
99	Capscrew - oil pump			6	MS-208045-1
100	Oil filter			1	3280-V-8394
101	Adaptor - oil filter			1	2297-Z-5278
102	Screen & plug assembly - oil filter			1	A-2297-D-5334

THE FOLLOWING PARTS ARE FOR THE CARRIERS WITH INTERNAL A.B.S. SENSORS


169	Wave washer - adjusting ring			2	2258-G-1255
170	Snap ring - connector			2	1229-U-4519
171	Snap ring - adjusting ring			2	1229-F-4452
172	Sensor - ABS	Both sides	3200-K-1857	2	SA1-3280-X-9150
		LH side	3200-L-1858	1	SA2-3280-X-9150
		RH side			SA1-3280-X-9150
172A	Plug - sensor attaching (not shown)	Pump carrier only	3200-L-1858 (LH side)	1	1250-T-1216
173	Drive tube			2	3216-G-4375
174	Washer - drive tube			2	42-X-1408
175	Snap ring - drive tube			2	1229-D-4528



Prior to 11/92 all carriers (except 3200-Z-1560) used the three piece design fork (3296-R-1084) which was replaced by 3296-Y-1169 in 11/92.

(Use with Figure 2, Inside Front Cover)

VISUAL IDENTIFICATION OF REAR CARRIERS



The following carriers are equipped with a thrust screw: 3200-A-1821, 3200-D-1928, 3200-E-1929

The following carriers are machined for Internal ABS Sensors: 3200-H-1854, 3200-J-1856

The following carriers are available with and without Diff. Lock: 3200-C-1511, 3200-Z-1560, 3200-V-1712, 3200-E-1825, 3200-Y-1897, 3200-E-1929

		TON SIN	OLL ANLLS AN			
ITEM	DESCRIPTION		REMARKS	CARRIER	QTY	PART NUMBER
115	Nut - drive pinion				1	40-X-1233
115A	Washer - pinion nut				1	1229-N-1730
116, 117	Input yoke assembly			1	1	SEE YOKE CHARTS
		- Inlana			1	
118	Oil seal assembly - rear					A1-1205-A-2731
119	Cone - drive pinion oute	er bearing			1	HM813843
120	Cup - drive pinion outer	bearing			1	HM813810
121	Capscrew - pinion beari	ng cage			8	MS-212045-1
122	Washer - pinion bearing				8	MWA-512
123	Pinion bearing cage & c			1	1	A-3226-R-1006
			Included in KIT 1500		llee ee	
124	Shims - pinion bearing		Included in KIT 1592			2803-Y-2755
	cage	.005"/.125mm			req.	2803-Z-2756
		.008"/.200mm				2803-A-2757
		.020"/.500mm	7			2803-B-2758
125	Spacers - pinion	.250"/6.35mm	Included in KIT 1593		Use 2	2803-D-2500
125	bearing		Included III KIT 1373			
	bearing	.251"/6.38mm	_		as req.	2803-E-2501
		.252"/6.40mm				2803-F-2502
		.253"/6.43mm				2803-N-2510
		.254"/6.45mm	7			2803-G-2503
		.256"/6.50mm	1	1		2803-H-2504
			†	1		
		.260"/6.60mm	4	1		2803-J-2506
		.261"/6.63mm	4	1		2803-K-2507
		.262"/6.65mm				2803-L-2508
		.263"/6.68mm				2803-M-2509
126	Cup - drive pinion inner				1	9220
127	Cone - drive pinion inne		1	1	1	1228-V-594
			2.50			
128, 115	Drive gear, pinion & nut	assy.	2.50 ratio	4	Use 1	B-42776-19
			2.67 ratio	_	as req.	B-43454-19
			2.80 ratio			A-41572-1
			2.93 ratio	7		A-41574-1
			3.07 ratio			A-39898-5 ³
			5.07 1410			
				4		A-42002-12
			3.21 ratio			A-39900-5 ³
						A-41990-1 ²
			3.42 ratio	7		A-39902-53
						A-42004-1 ²
			3.58 ratio	-		A-39904-5 ³
			3.38 14110			
				₫		A-41992-1 ²
			3.73 ratio			A-39906-5 ³
						A-41994-1 ²
			3.91 ratio	1		A-42466-1 ²
			0.711440			A-39884-5 ⁴
			4.10	4		
			4.10 ratio			A-39886-54
				4		A-42006-1 ²
			4.30 ratio			A-39888-54
						A-41996-1 ²
			4.56 ratio	7		A-39890-5 ⁴
			7.50 1480	1		A-41988-1 ²
			4.00 "	-		
			4.89 ratio			A-40024-5 ³
				_		A-41998-1 ²
			5.13 ratio	1		A-41828-1
			5.13 ratio	7		A-42468-1 ²
			5.29 ratio	╡		A-42196-1 ²⁴
				-		
			5.38 ratio			A-40104-5 ³
				_		A-42000-1 ²
			5.63 ratio	1		A-42470-1 ²
						A-40106-5 ³
			6.14 ratio	╡		A-42630-1 ²
			0.14 1410	1		
				-		A-40110-5 ³
			6.43 ratio			A-40116-5 ³
			6.83 ratio			A-41066-1 ³
			7.17 ratio	7		A-40122-5 ³
		inion	One piece bearing	Use for carriers that ha	yo boon 1	1228-Y-1221
120	Spigot hooring drive -!	0 to 11 t	TO THE DIECE DESITIO	use for carriers that ha	ve been 1	1220-1-1221
129	Spigot bearing - drive pi	1111011	The process are and	consequents of A. A. A. C.	and the sale.	
129	Spigot bearing - drive pi	inion	January States	upgraded to snap ring gea		
129	Spigot bearing - drive pi			upgraded to snap ring gea Use with new snap ring Use with original non-snap	design	1228-B-1042 A1-1228-P-1004

Quietride™ gearing.
 Use KIT 2468 + Ratio to upgrade the 3200-Z-1560 carriers. Use KIT 2655 + Ratio to upgrade the 3200-C-1511 carriers.

³ For 3200-C-1511, 3200-Z-1560, 3200-T-1658 & 3200-V-1660 use -6 gearsets, except for 6.83 ratio use -2 gearset.

⁹ Use only in carriers made after 3/6/06.

²⁴ No Longer Available

ITEM	DESCRIPTION		REMARKS	CARRIER	QTY	PART NUMBER
129A	Snap ring - spigot bearing]	Use with 1228-B-1042 and		1	46-X-1029
		<u> </u>	1228-Y-1221		L	
130, 131 &	Differential carrier & cap I	Less differential lock	With thrust screw	3200-A-1821	1	A2-3200-A-1821
132	assy.		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-C-1511		KIT 2657
			Ratios - 3.91, 4.10, 4.30, 4.56	Aluminum		KIT 2657A
			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			KIT 2657B
			6.83, 7.17			
			Aluminum	3200-E-1825		No Longer Available
			7 11.411111	3200-E-1929		A2-3200-E-1929
			Aluminum, ABS	3200-H-1854		A2-3200-H-1854
			Internal ABS	3200-J-1856		A2-3200-J-1856
			New bearings	3200-5-1030 3200-P-1706		A2-3200-9-1000 A2-3200-P-1706
			New bearings / tapered dowels	3200-E-2137		A2-3200-F-1700 A2-3200-E-2137
			Aluminum	3200-L-2137 3200-V-1712		KIT 2634
			Aluminum	3200-Y-1712 3200-Y-1897		A2-3200-Y-1897
			Detice 2.07.2.21.2.42.2.50.2.72			KIT 2642
			Ratios - 3.07, 3.21, 3.42, 3.58, 3.73			
			Ratios - 3.91, 4.10, 4.30, 4.56	Original design, 3200-T-1658		KIT 2642A
			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			KIT 2642B
		14 PH 11 PM	6.83, 7.17	Wide leg design		I/IT 0/F0
		With differential lock	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-C-1511		KIT 2658
			Ratios - 3.91, 4.10, 4.30, 4.56	Aluminum		KIT 2658A
			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			KIT 2658B
			6.83, 7.17 Revised diff. lock	3200-C-1823		KIT 2762
			Malleable w/screw-in main diff.	3200-C-1623 3200-D-1928		A2-3200-D-1928
			shifter	2002 5 1005		
			Aluminum	3200-E-1825		No Longer Available
			Aluminum w/screw-in main diff. shifter	3200-E-1929		A2-3200-E-1929
			New bearings	3200-R-1708		KIT 2659
			Malleable w/screw-in main diff.	3200-T-1892		A2-3200-T-1892
			shifter Malleable w/screw-in main diff.	3200-F-2138		A2-3200-F-2138
			shifter / with tapered dowels			
			Aluminum	3200-V-1712		No Longer Available
			Aluminum w/screw-in main diff. shifter	3200-Y-1897		A2-3200-Y-1897
			Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-Z-1560		KIT 2643
			Ratios - 3.91, 4.10, 4.30, 4.56	Original design,		KIT 2643A
			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	3200-V-1660		KIT 2643B
			6.83, 7.17	Wide leg design		KIT 2043D
130A	Thrust screw (not shown)		0.00, 7.17	gg	1	15-X-1167
130R	Jam nut (not shown)				1	1227-D-472
131	Washer - diff. bearing cap	1			4	42-X-1024
132	Capscrew - diff. bearing cap				4	41-X-1018
133	Adjusting ring - diff. bearing		LH & RH	1511, 1560, 1658, 1660	2	2214-U-1269
133	Aujusting ring - uiii. bearii	ıy	LH	1708, 1712, 1823, 1825,	1	2214-G-1125
			RH	1892, 1897, 1928, 2138	'	2214-J-1128
				3200-H-1854 (ABS)		KIT 2830
			LH	3200-H-1854 (ABS)		
			RH	2200 14057 (ADC)	_	2214-Z-1144
			LH & RH	3200-J-1856 (ABS)	2	2214-Z-1144
104	Din odiustina visa		+	3200-P-1706	2	2214-G-1125
134	Pin - adjusting ring			ABS carriers	2	19-X-1087
105	O diec		LU 6 BU	All others	1	KIT 4284
135	Cup - differential bearing		LH & RH	1511, 1560, 1658, 1660	2	A1-1228-B-600
			LH	1708, 1712, 1823, 1825,	1	592A
			RH	1892, 1897, 1928, 1929, 2138		52618
			LH & RH	3200-P-1706	2	592A
135A	Adhesive - diff. bearing cu				1	2297-T-4180 ⁷
136	Cone - differential bearing]	LH & RH	1511, 1560, 1658, 1660	2	A1-1228-B-600
			LH	1708, 1712, 1823, 1825,	1	594A
			RH	1892, 1897, 1928, 1929, 2138		52400
	1		LH & RH	3200-P-1706	2	594A
137	Nut - diff. case to gear		Included in KIT 2426		12	40-X-1182
137 138	Nut - diff. case to gear Washer - diff. case to gea	ır	Included in KIT 2426		12 12	40-X-1182 1229-U-1503

Table Tabl		CARRIERS I OR SINGL				
All shown are 2 38"-46 axis spline. 3.91, 4.10, 4.30, 4.56 Ratius 4.99, 5.30, 5.63, 6.14, 6.43, 6.83, 7.17 Ratius -3.07, 4.10, 4.30, 4.56 Ratius -3.07, 3.21, 3.42, 3.58, 3.73, 3.90, 4.10, 4.30, 4.56 Ratius -3.07, 3.21, 3.42, 3.58, 3.73, 3.200, 4.1511 All minum With diff. lock Ratius -3.07, 3.21, 3.42, 3.58, 3.73 3.200, 4.1621, 3.200,	ITEM	DESCRIPTION	REMARKS	CARRIER	QTY	PART NUMBER
All shown are 2 38"-46 axis spline. 3.91, 4.10, 4.30, 4.56 Ratios 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3.00 - C-1511 All minimum With diff lock Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3.200 - F.1706, 3.235 - F.1	140 thru 147	Case & nest assy main diff.	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73,	3200-C-1511	Use 1 as	A11-3235-S-18135
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 3.10, 3.00, 4.56 Ratios - 3.91, 3.10, 3.00, 4.56 Ratios - 3.91, 3.10, 3.00, 4.5		All shown are 2.38"-46 axle spline.	3.91, 4.10, 4.30, 4.56	Aluminum	req.	
Ratios - 4.99, 5.39, 5.63, 6.14, 6.43,		'		Less diff, lock	'	A11-3235-F-19826
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.36, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.99, 5.38, 5.63, 6.14, 6.43, 6.33, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Rati						
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73						A11-3233-11-1704
All Stown are 2.38*-46 axis spline. All shown are 2.38*-46 axis sp				2200 C 1511		A12 222F C 1012F
Ratios - 3.91 , 4.10 , 4.30 , 4.56 Ratios - 4.89 , 5.38 , 5.63 , 6.14 , 6.43 , 6.83 , 7.17 Ratios - 3.07 , 3.71 , 3.47 , 3.58 , 3.73 3.200 + 1.182 , 3						A 13-3235-5-1813°
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 2.50, 2.67, 2.80, 2.93 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42,						
6.83, 7.17 Ratios - 2.90, 2.67, 2.80, 2.93 Ratios - 3.07, 3.17, 3.42, 3.58, 3.73 Ratios - 3.07, 3.17, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21,				With diff. lock		
Ratios - 2.90, 2.67, 2.80, 2.93 3.300, P.1706, 2.300-A.1821, 2.300-A.1			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A13-3235-H-1984 ²³
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.33, 2.00-F.123, 2.00-F.			6.83, 7.17			
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3.200, 4.1821, 3.205, 2.137 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43 Case & nest assy main diff. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3.200, 4.182, 3.205, 4.182, 3.235, 4.182, 4			Ratios – 2.50, 2.67, 2.80, 2.93	3200-P-1706.	1	A1-3235-R-2202
Ratios - 3.91, 4.10, 4.30, 4.56 Ass. 3.10, 4.10, 4.30, 4.56 Ass. 3.17, 4.17, 4.18, 4				· ·		
Railos - 4.89, 5.38, 5.63, 6.14, 6.43,						
Ratios - 3 07, 3 21, 3 42, 3 58, 3 73 3200-F1825 Aum., 3200-F1823 A3-3235-F217						
Ratios - 2.50, 2.73, 2.80, 2.93 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.0				EC33 dill. lock		A1-3233-G-211319
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73			0.83, 7.17	2000 5 1700 2000 1/1710		
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 3.42, 3.58, 3.73 Ratios - 3.91, 3.42,			Ratios – 2.50, 2.73, 2.80, 2.93			A3-3235-R-2202
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42,						
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 3.42, 3.58, 3.73 Ratios - 3.91, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.2			Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-E-1825 Alum.,		A3-3235-C-210914
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3				3200-T-1892, 3200-Y-1897		
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21,			Ratios - 3.91, 4.10, 4.30, 4.56	Alum., 3200-D-1928,		A3-3235-E-2111 ¹⁵
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17			, , , , , , , , , , , , , , , , , , , ,	3200-E-1929 Alum		
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Rati			Patios - // 80 5 38 5 63 6 1// 6 //3			Δ3-3235-G-211316
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.3						A3-3233-G-2113
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43 Ratios - 4.8						A11 222E C 1012
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3						
All shown are 2.38*-46 axle spline. All shown are 2.38*-46 axle spline. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios -				Less alli. lock		
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-V-1600 With diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73						A11-3235-H-1984 ²³
Ratios - 3.97, 3.21, 3.42, 3.58, 3.73 3200-V-1712, 3200-E-1825, 3235-E-217 A6-3235-E-217 A6-3235-E-217 A6-3235-E-217 A7-3235-E-217 A7-3235-E-217 A1 shown are 2.38"-46 axle spline. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 A2-3258-A8 A8-3235-A8 A8-3235-B-217 A6-3235-B-217 A7-3235-B-217 A1-3235-B-217 A2-3235-B-217 A2-323						
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.			Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-V-1600		A13-3235-S-1813
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-V-1712, 3200-E-1825, 3200-V-1897, 3200-E-1929, A6-3235-E-210- A6-3235-E-198- A6-3235-E-			Ratios - 3.91, 4.10, 4.30, 4.56	With diff. lock		A13-3235-F-1982
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-V-1712, 3200-E-1825, 3200-V-1897, 3200-E-1929, A6-3235-E-210- A6-3235-E-198- A6-3235-E-			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	1		A13-3235-H-1984 ²³
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-V-1712, 3200-E-1825, 3200-V-1897, 3200-E-1929, A6-3235-E-217 A7-3235-E-217						
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ra				3200-V-1712 3200-F-1825		A6-3235-C-2109
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Less diff. lock Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, Aluminum Ratios - 4.89, 5						
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-Z-1560 With or Without diff. lock A2-3235-S-181; plus KIT 2318 A3-3235-H-198 A3-3235-H-						
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73, 3.200-Z-1560 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.88, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.88, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.88, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.88, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.88, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.5				, ,		A0-3233-G-2113
3.91, 4.10, 4.30, 4.56 Ratios - 3.91						
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17						
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17				With or Without diff. lock		
Case & nest assy main diff. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Aluminum Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Aluminum Less diff. lock Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios						
140 thru 147, 173, 174, 175 Case & nest assy main diff. 173, 174, 175 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 18tios - 3.91, 4.10, 4.30, 4.56 18tios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Internal ABS, Less diff. lock, Aluminum 184, Aluminum 184, 23235-R-217, A2-3235-R-217, A2-3235-R-21			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A3-3235-H-1984 ²³
173, 174, 175			6.83, 7.17			
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock Ratios - 3.91, 4.10,	140 thru 147,	Case & nest assy main diff.	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-H-1854,	Use 1 as	A4-3235-R-2176 ²³
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56						
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-J-1856, Internal ABS, Less diff. lock, Malleable iron A2-3235-S-217				Less diff, lock.		
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56						71. 0200 1 2170
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 146, 147 All shown are 2.38"-46 axle spline. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56						A2 222E D 217423
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 140, 142A, 146, 147 All shown are 2.38"-46 axle spline. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56						
140, 142A, 146, 147 All shown are 2.38"-46 axle spline. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73, 3.200-C-1511 Aluminum Less diff. 16ck Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56						
140, 142A, 146, 147 Case & NoSpin assy main diff. Ratios - 3.07, 3.21, 3.42, 3.58, 3.73, 3200-C-1511 All shown are 2.38"-46 axle spline. Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-P-1706 Less diff. lock A7-3235-E-211 A7-3235-E-						A2-3235-1-21/8 ²³
146, 147 All shown are 2.38"-46 axle spline. 3.91, 4.10, 4.30, 4.56			6.83, 7.17		ļ	
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56					Use 1 as	A14-3235-S-1813 ⁵
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56	146, 147	All shown are 2.38"-46 axle spline.			req.	
6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56			Ratios - 3.91, 4.10, 4.30, 4.56	Less diff. lock		A14-3235-F-19826
6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	1		A14-3235-H-1984 ²³
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56						
Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56				3200-P-1706		Δ7-3235-C-2109
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, 6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56						
6.83, 7.17 Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 3200-T-1658 A14-3235-S-18' Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock A14-3235-F-198'				E033 UIII. IUUN		
Ratios - 3.07, 3.21, 3.42, 3.58, 3.73 Ratios - 3.91, 4.10, 4.30, 4.56 Ratios - 3.91, 4.10, 4.30, 4.56 A14-3235-S-18 A14-3235-F-198						A7-3230-G-2113
Ratios - 3.91, 4.10, 4.30, 4.56 Less diff. lock A14-3235-F-198				2000 T 4/50	-	A44 2025 C 4042
, , ,						
Ratios - 4.89, 5.38, 5.63, 6.14, 6.43, A14-3235-H-19				Less diff. lock		A14-3235-F-1982
			Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A14-3235-H-1984 ²³
6.83, 7.17			6.83, 7.17			
				3200-V-1712, 3200-E-1825.	1	A8-3235-C-2109
						A8-3235-E-2111
						A8-3235-G-2113
6.83, 7.17 Less diff. lock						10 3233-0-2113
0.03, 7.17 Less unit. rock			0.03, 7.17	E035 dill. lock	<u> </u>	

⁵ For use with carriers built prior to Sept. 1, 1988.

11

⁽Applies to ratios 3.91 thru 4.56 only.)
11 For Coach Quality use A1-3235-Y-2469
12 For Coach Quality use A1-3235-P-2460
13 For Coach Quality use A1-3235-M-2457

²³ No Longer Available - Contact Florence Specifications for assistance

⁶ For use with carriers produced after Sept. 1, 1988 or have been retro-fitted with KIT 2468 or KIT 2655 only.

14 For Coach Quality use A3-3235-Y-2469

15 For Coach Quality use A3-3235-P-2460

16 For Coach Quality use A3-3235-M-2457

	CARRIERS I OR SINGL				
ITEM	DESCRIPTION	REMARKS	CARRIER	QTY	PART NUMBER
140, 146 &	Case assy - main differential	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73,	3200-C-1511	Use 1 as	A10-3235-S-1813 ⁵
147		3.91, 4.10, 4.30, 4.56	Aluminum	req.	
		Ratios - 3.91, 4.10, 4.30, 4.56	Less diff. lock		A10-3235-F-19826
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	1		A10-3235-H-1984 ²³
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73,	3200-C-1511		A12-3235-S-1813 ⁵
		3.91, 4.10, 4.30, 4.56	Aluminum		7112 3233 3 1013
		Ratios - 3.91, 4.10, 4.30, 4.56	With diff. lock		A12-3235-F-1982 ⁶
			Willi dill. lock		
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A12-3235-H-1984 ²³
		6.83, 7.17			
		Ratios – 2.50, 2.67, 2.80, 2.93	3200-P-1706, 3200-A-1821,		A-3235-R-2202
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-E-2137		A-3235-C-2109 ¹⁷
		Ratios - 3.91, 4.10, 4.30, 4.56	Less diff. lock		A-3235-E-211118
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	1		A-3235-G-2113 ¹⁹
		6.83, 7.17			7. 0200 0 2110
		Ratios – 2.50, 2.67, 2.80, 2.93	3200-R-1708, 3200-V-1712		A2-3235-R-2202
		Railos – 2.30, 2.07, 2.00, 2.43	Alum., 3200-C-1823,		HZ-3Z33-K-ZZUZ
		Dallar 2 07 2 21 2 42 2 50 2 72			A 0 000F O 040000
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-E-1825 Alum.,		A2-3235-C-2109 ²⁰
			3200-T-1892, 3200-Y-1897		
		Ratios - 3.91, 4.10, 4.30, 4.56	Alum., 3200-D-1928,		A2-3235-E-2111 ²¹
			3200-E-1929 Alum.,	1	
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	3200-T-2138		A2-3235-G-2113 ²²
		6.83, 7.17	With diff. lock		
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-T-1658	1	A10-3235-S-1813
		Ratios - 3.91, 4.10, 4.30, 4.56	Less diff. lock		A10-3235-5-1013
			Less uiii. lock		
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A10-3235-H-1984 ²³
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-V-1660		A12-3235-S-1813
		Ratios - 3.91, 4.10, 4.30, 4.56	With diff. lock		A12-3235-F-1982
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A12-3235-H-1984 ²³
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-V-1712, 3200-E-1825,		A5-3235-C-2109
		Ratios - 3.91, 4.10, 4.30, 4.56	3200-Y-1897, 3200-E-1929,		A5-3235-E-2111
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Aluminum,		A5-3235-G-2113
			Less diff. lock		A3-3233-G-2113
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73,	3200-Z-1560		A-3235-S-1813 ⁵
		3.91, 4.10, 4.30, 4.56	Less diff. lock		
		Ratios - 3.91, 4.10, 4.30, 4.56			A2-3235-F-19826
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,			A-3235-H-1984 ²³
		6.83, 7.17			
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73,	3200-Z-1560		A2-3235-S-1813 ⁵
		3.91, 4.10, 4.30, 4.56	With diff. lock		0200 0 .0.0
		Ratios - 3.91, 4.10, 4.30, 4.56	With all look		A2-3235-F-1982 ⁶
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	1		A2-3235-F-1984 ²³
					MZ-3Z33-II-1984 ²³
440 444 4 :=	1 10 11 1/120 1/1	6.83, 7.17	0000111271		A F 000 F D C 1 T 1 1 1
	Case assy - main differential (ABS ready)	Ratios - 3.07, 3.21, 3.42, 3.58, 3.73			A5-3235-R-2176 ²³
173, 174, 175		Ratios - 3.91, 4.10, 4.30, 4.56	Internal ABS,	req.	A5-3235-S-2177 ²³
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock,		A3-3235-T-2178 ²³
		6.83, 7.17	Aluminum	1	
		Ratios - 3.07, 3.21, 3.42, 3.58, 3.73	3200-J-1856,	1	A1-3235-R-2176 ²³
		Ratios - 3.91, 4.10, 4.30, 4.56	Internal ABS,	1	A1-3235-S-2177 ²³
		Ratios - 4.89, 5.38, 5.63, 6.14, 6.43,	Less diff. lock,		A1-3235-T-2178 ²³
		6.83, 7.17	Malleable iron		711 0200 1 2170
1 // 1	Thrust weeker, side geer	Included in KIT 2318	Walloable Holl	2	1229-L-3002
141	Thrust washer - side gear	Included Iff KH 2318	A/ Collins	2	
142	Side gear - differential	0 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	46 Spline	2	2234-C-1069
		Coach Quality . Included in KIT 2575		1	2234-C-1069N
			50 Spline		2234-D-1070
142A	No-Spin assembly		46 Spline	1	A-3230-C-1043
143	Thrust washer - diff. pinion	Included in KIT 2318	i i	4	1229-K-3001
144	Gear - diff. pinion	1		4	2233-M-1001
145	Spider diff.	┥		1	3278-W-335
146	Washer - diff. case			12	1229-U-1503
147	Capscrew - diff. case			12	41-X-1275
147A	Thread locking liquid	İ	İ	ı 1	2297-C-7049

⁵ For use with carriers built prior to Sept. 1, 1988. (Applies to ratios 3.91 thru 4.56 only.)

¹⁷ For Coach Quality use A-3235-Y-2469 18 For Coach Quality use A-3235-P-2460

¹⁹ For Coach Quality use A-3235-M-2457 23 No Longer Available – Contact Florence Specifications for assistance

⁶ For use with carriers produced after Sept. 1, 1988 or have been retro-fitted with KIT 2468 or KIT 2655 only.

²⁰ For Coach Quality use A2-3235-Y-2469 21 For Coach Quality use A2-3235-P-2467

²² For Coach Quality use A2-3235-M-2457

ITEM REMARKS CARRIER QTY PART NUMBER THE FOLLOWING PARTS ARE FOR MAIN DIFFERENTIAL LOCK 148 DCDL Switch Kit 1 KIT 4429 Not Shown Plug - sensor port 41-X-1022 149 Lock nut - sensor/switch Prior to 11/93 Used on carriers with 1227-P-1056 3266-F-1020 air cyl. cover 150 Shift fork - main diff, lock Three pc. design 3200-Z-1560 1 3296-B-184 After 11/93 One pc. design 3296-B-1172 Prior to 11/93 3296-Y-11691 151 Spring - main diff. lock After 11/93 2258-N-1262 Prior to 11/93 2258-L-714 152 Shift shaft - main diff, lock 1511, 1560, 1660 2244-Y-51 1708, 1712, 1823 2244-L-1026 1892, 1897, 1928, 1929, 2138 KIT 2824 42-X-1027 152A Washer - piston (not shown) Prior to 11/93 153 Shift cylinder housing Screw-in style After 11/93 KIT 2824 Tube - air cylinder Bolt-on style Prior to 11/93 3196-F-32 153A 1250-U-1217 Plug - cylinder hole 1 154 Piston - main diff. lock After 11/93 1 KIT 2824 Prior to 11/93 2230-N-170 155 Gasket - air cylinder cover Prior to 11/93 2208-H-944 1 156 Capscrew - manual engaging After 11/93 41-X-1368 41-X-1333 Prior to 11/93 O-ring 156A 1 5-X-521 157 Cover - air cylinder Bolt-on style Prior to 11/93 3266-F-1020 158 Washer - adjusting ring lock capscrew MWA-508 159 Capscrew - adjusting ring lock MS-208020-1 160 Lock - adjusting ring 1220-K-89 161 Pin - shift fork Three pc. design 43-X-1007 Clutch collar - main diff. lock 3107-F-1020 162 1511, 1660, 1628 46 Spline 1708, 1712, 1823, 1825, 1892 3107-B-1094 1894, 1897, 1928, 1929, 2138 50 Spline 1708, 1823 3107-C-1095 3200-Z-1560 3107-P-1030 163 Roll pin - spring retaining Prior to 11/93 43-X-1006 1 164 O-ring - piston After 11/93 5-X-1198 Prior to 11/93 5-X-1153 165 Washer - air cylinder cover Prior to 11/93 4 MWA-506 Prior to 11/93 166 Capscrew - air cylinder cover 41-X-1364 167 Gasket - plug Prior to 11/93 2208-L-1000 Plug - air cylinder cover Prior to 11/93 MS-210016-1 168 1 THE FOLLOWING PARTS ARE FOR CARRIERS WITH INTERNAL A.B.S. SENSORS 2258-G-1255 Wave washer - adjusting ring 169 170 Snap ring - adjusting ring 1229-F-4452 1229-U-4519 171 Snap ring - sensor 172A Plug - sensor attaching (not shown) Aluminum only 3200-H-1854 (LH side) 1250-T-12167 173 Drive tube 2 3216-G-43757 42-X-1408 174 Washer - drive tube 2 175 Snap ring - drive tube 1229-D-4528 2 172 Sensor - ABS LH side 3200-H-1854 SA2-3280-X-9150 RH side SA1-3280-X-9150


3200-J-1856

SA1-3280-X-9150

Both sides

¹ Prior to 11/92 all carriers (except 3200-Z-1560) used the three 7 No Longer Available piece design fork (3296-R-1084) which was replaced by 3296-Y-1169 in 11/92.

OUTPUT (THRU) SHAFT ASSEMBLY PARTS



1229-Y-2599

1229-W-4131

40-X-1237

A1-1205-Y-2729 1229-T-1736

.182 inch

208

209

210

211

Snap ring spacer - output bearing/yoke

Oil seal - output bearing cage

Washer - yoke nut (output)


Nut - output yoke

2 piece (seal & sleeve)

Included in KIT 2637

⁸ Use A1-1205-Y-2729 seal & sleeve. Do not use deflector.

HOUSING ASSEMBLY PARTS



²³ Dowel part number is 1246-V-1166. Quantity 6 for forward (KIT 4288) and quantity 4 for rear (KIT 4291).

AXLE SHAFT SETS FOR 160, 161 and 164 SERIES AXLES

		JR 160, 161 and 164 SERIE	
LEFT HAND	RIGHT HAND	LEFT HAND	RIGHT HAND
RS-20-160	Single Axle	RS-24-160	Single Axle
3202-Q-8805	3202-B-8816*	3202-Y-8683	3202-P-8804
3202-Q-8805	3202-G-9003	3202-Y-8683	3202-A-8815
RS-21-160	Single Axle	RS-25-160	Single Axle
3202-Q-8805	3202-B-8816*	3202-Q-8805	3202-B-8816*
3202-Q-8805	3202-G-9003	3202-Q-8805	3202-G-9003
3202-H-9004	3202-R-8806	3202-Y-9125	3202-Z-9126
3202-H-9004	3202-C-8817*	3202-Y-9125	3202-C-9129*
3202-Y-9125	3202-Z-9126	3202-J-9344	3202-K-9345
3202-Y-9125	3202-C-9129*	3202-J-9344	3202-L-9346*
3202-J-9344	3202-K-9345	<u></u>	•
3202-J-9344	3202-L-9346*	RS-26-160	Single Axle
RS-22-160	Single Axle	3202-G-9393	3202-B-8816 *
	· ·	3202-G-9393	3202-G-9003
3202-Q-8805	3202-B-8816*		•
3206-X-1532	3206-Z-1534	RD-20-160	Fwd. axle less pump RT-40-160 Tandem
RC-23-160	Single Axle	3202-R-8806	3202-H-9004
	5 9 .55	3202-B-8816*	3202-Q-8805
3202-Q-8805	3202-G-9003	3202-G-9003	3202-Q-8805
3202-Y-8683	3202-P-8804	3202-Z-9126	3202-Y-9125
		3202-C-9129*	3202-Y-9125
RS-23-160	Single Axle	3202-K-9345	3202-J-9344
		3202-L-9346*	3202-J-9344
3202-X-8110	3206-T-1190		
3202-Q-8805	3202-B-8816 *	RD-23-160	Fwd. axle less pump
3202-Q-8805	3202-G-9003		RT-46-160 Tandem
3202-H-9004	3202-R-8806	3202-R-8806	3202-H-9004
3202-H-9004	3202-C-8817 *	3202-B-8816 *	3202-Q-8805
3202-Y-9125	3202-Z-9126	3202-C-8817 *	3202-H-9004
3202-Y-9125	3202-C-9129*	3202-G-9003	3202-Q-8805
3202-A-9127	3202-B-9128	3202-Z-9126	3202-Y-9125
3202-D-9130*	3202-A-9127	3202-A-9127	3202-D-9130*
3202-J-9344	3202-L-9346 *	3202-C-9129*	3202-Y-9125
3202-J-9344	3202-K-9345	3202-K-9345	3202-J-9344
3202-Y-9489	3202-Z-9490	3202-L-9346 *	3202-J-9344
3202-Y-9489	3202-A-9491 *	3202-Z-9490	3202-Y-9489
3202-L-9502	3202-L-9918	3202-A-9491 *	3202-Y-9489
3202-K-9553	3202-A-9647*	3202-F-9574	3202-E-9573
3202-E-9573	3202-F-9574	3202-G-9575 *	3202-E-9573
3202-E-9573	3202-G-9575 *	3202-J-9916	3202-L-9502
RS-23-161	Single Axle	RD-25-160	Fwd. axle less pump RT-50-160 Tandem
3202-Q-8805	3202-B-8816 *	3202-B-8816*	3202-Q-8805
3202-Q-8805	3202-G-9003	3202-G-9003	3202-Q-8805
3202-J-9344	3202-K-9345	3202-Z-9126	3202-Y-9125
3202-J-9344	3202-L-9346 *	3202-C-9129*	3202-Y-9125
	3202-Z-9490	3202-K-9345	3202-J-9344
3202-Y-9489	3202 Z 3730		
3202-Y-9489 3202-Y-9489	3202-A-9491 *	3202-L-9346*	3202-J-9344


^{*} This shaft has longer splines that engage the differential lock.

AXLE SHAFT SETS FOR 160, 161 and 164 SERIES AXLES


7 1/1	LE SIII II SE I	FOR 100, 101 allu 104 SERII	10 TIMELO
LEFT	RIGHT	LEFT	RIGHT
HAND	HAND	HAND	HAND
RP-20-160	Fwd. axle with pump RT-40-160 Tandem	RR-23-160	Rear axle of RT-46-160 Tandem
3202-B-8816*	3202-Q-8805	3202-Q-8805	3202-B-8816 *
3202-C-8817*	3202-H-9004	3202-Q-8805	3202-G-9003
3202-G-9003	3202-Q-8805	3202-X-8110	3206-T-1190
3202-Z-9126	3202-Y-9125	3202-H-9004	3202-R-8806
3202-C-9129*	3202-Y-9125	3202-H-9004	3202-C-8817 *
3202-K-9345	3202-J-9344	3202-Y-9125	3202-Z-9126
3202-L-9346*	3202-J-9344	3202-Y-9125	3202-C-9129*
3202 L 3340	3202 0 3344	3202-A-9127	3202-B-9128
RP-23-160	Fwd. axle with pump	3202-D-9130*	3202-A-9127
IXI -25-100	RT-46-160 Tandem	3202-J-9130 3202-J-9344	3202-K-9345
3202-R-8806	3202-H-9004	3202-J-9344	3202-L-9346 *
3202-R-8816 *	3202-Q-8805	3202-Y-9489	3202-Z-9490
3202-B-8817 *	3202-Q-8003 3202-H-9004	3202-Y-9489	3202-A-9491 *
3202-G-9003	3202-11-9004 3202-Q-8805	3202-L-9502	3202-A-9491 3202-J-9916
3202-G-9003 3202-Z-9126	3202-Q-8605 3202-Y-9125	3202-K-9553	3202-3-9910 3202-A-9647*
3202-Z-9120 3202-A-9127		3202-R-9553 3202-E-9573	
	3202-D-9130*		3202-F-9574
3202-B-9128	3202-A-9127	3202-E-9573	3202-G-9575 *
3202-C-9129*	3202-Y-9125	3202-L-9918	3202-L-9502
3202-K-9345	3202-J-9344	DD 00 404	Б
3202-L-9346 *	3202-J-9344	RR-23-164	Rear axle of
3202-Z-9490	3202-Y-9489		RT-56-164 Tandem
3202-A-9491 *	3202-Y-9489	3202-Q-8805	3202-B-8816*
3202-L-9502	3202-L-9918		
3202-F-9574	3202-E-9573	RR-25-160	Rear axle of
3202-G-9575 *	3202-E-9573		RT-50-160 Tandem
3202-A-9647*	3202-K-9553	3202-Q-8805	3202-B-8816*
3206-T-1190	3202-X-8110	3202-H-9004	3202-R-8806
		3202-H-9004	3202-C-8817*
RP-23-164	Fwd. axle with pump	3202-Y-9125	3202-Z-9126
	RT-46-164 Tandem	3202-Y-9125	3202-C-9129*
3202-Q-8805	3202-B-8816*	3202-J-9344	3202-K-9345
3202-C-8817*	3202-H-9004	3202-J-9344	3202-L-9346*
		3202-Q-8805	3202-G-9003
RP-25-160	Fwd. axle with pump		
	RT-50-160 Tandem	RD-26-160	Fwd. axle less pump
3202-R-8806	3202-H-9004		RT-52-160 Tandem
3202-B-8816*	3202-Q-8805	3202-B-8816 *	3202-G-9393
3202-C-8817*	3202-H-9004	3202-G-9003	3202-G-9393
3202-G-9003	3202-Q-8805	3202-Q-9403*	3202-H-9004
3202-Z-9126	3202-Y-9125		-
3202-C-9129*	3202-Y-9125	RP-26-160	Fwd. axle with pump
3202-K-9345	3202-J-9344		RT-52-160 Tandem
3202-L-9346*	3202-J-9344	3202-B-8816 *	3202-G-9393
		3202-G-9003	3202-Q-8805
RR-20-160	Rear axle of	3202-G-9003	3202-G-9393
-	RT-40-160 Tandem	3202-Q-9403*	3202-H-9004
3202-Q-8805	3202-B-8816*	<u> </u>	1
3202-Q-8805	3202-G-9003	RR-26-160	Rear axle of
3202 Q 0003 3202-H-9004	3202-R-8806	1111 25 100	RT-52-160 Tandem
3202-H-9004	3202-R-8817*	3202-H-9004	3202-Q-9403*
3202-Y-9125	3202-C-8817 3202-Z-9126	3202-G-9393	3202-Q-9403 3202-B-8816 *
3202-1-9125 3202-Y-9125	3202-C-9129*	3202-G-9393 3202-G-9393	3202-G-9003
3202-1-9125 3202-J-9344		3202-0-9393	3202-3-3003
	3202-K-9345		
3202-J-9344	3202-L-9346*		

^{*} This shaft has longer splines that engage the differential lock.

AXLE SHAFTS



ROUND BEARING TYPE YOKES




Axle Model (Location)	Center to End	Spline Length	Hub Dia.	Bearing Cap Diameter	Yoke Dimension Across Ears	Spline Size Dia No. Teeth	Part Number	Production Part Number
Forward Input/	4.94"	2.32"	3.25"	1.88"	5.31"	2.38"-46	16NYS38-8A	A-3260-T-1034
Rear Axle	6.19"			1.88"	5.31"		16NYS38-12A	A-3260-G-1125
	5.38"			1.94"	6.09"		17N-4-7181X	A-3260-U-359
	6.50"			1.94"	6.09"		17N-4-7771X	A-3260-R-1058
	5.06"			1.94"	7.00"		176NYS38-14A	A-3260-V-360
	5.16"			1.94"	7.55"		18N-4-3731X	A-3260-C-1147
Forward Output/	5.54"	2.31"	3.00"	1.88"	5.31"	2.00"-39	16N-4-6271	3260-G-111
Rear Axle	6.22"			1.88"	5.31"		16N-4-6241	3260-H-112
	5.16"			1.94"	6.09"		17NYS32-100	3260-Q-121
	6.25"			1.94"	6.09"		17NYS32-99	3260-P-120
Rear Input/	4.94"	2.32"	3.25"	1.88"	5.31"	2.38"-46	16NYS38-8A	A-3260-T-1034
Rear Axle and	6.19"			1.88"	5.31"		16NYS38-12A	A-3260-G-1125
Single Axle	5.38"			1.94"	6.09"		17N-4-7181X	A-3260-U-359
Applications	6.50"			1.94"	6.09"		17NYS38-38A	A-3260-R-1058
	5.06"			1.94"	7.00"		176NYS38-14A	A-3260-V-360
	5.16"			1.94"	7.55"		18NYS38-27A	A-3260-C-1147

For additional: Parts Information Cross Reference

Production Bills of Material

visit our online catalog at: XpresswayPlus.ArvinMeritor.com


WING BEARING TYPE YOKES







an *ArvinMeritor* brand

EASY SERVICE (STRAP) TYPE YOKES





COMPANION FLANGES



XpresswayPlus.ArvinMeritor.com

Don't forget about using XpresswayPlus for:

- · Ordering parts online
- Order status
- · Price and availability
- Invoice Lookup
- Parts Catalog

- Reference Library
 The Company Sto
 - The Company Store
 - Literature
 - Dealer/Distributor locator

XpresswayPlus.ArvinMeritor.com
For all of your parts-ordering needs

 Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

Applications

AXLE	BASE		KIT
MODEL	CARRIER	KIT DESCRIPTION	NUMBER
Single Axle	3200-C-1511 Standard	Pinion bearing cage shims	KIT 1592
RC-23-160	3200-C-1511 Diff. lock	Pinion bearing spacers	KIT 1593
RS-23-160		Ring gear to case fastener kit, prior to 4/88	KIT 2317
RS-23-161		Main diff. nest kit with spider	KIT 2318
RS-24-160		Main diff. nest kit less spider	KIT 2341
RS-25-160		Main diff. lock actuator kit (minor)	KIT 2406
RS-26-160		Main diff. lock actuator	KIT 2414
		Ring gear to case fasteners after 4/88	KIT 2426
		Diff. case assembly kit	KIT 2796
		Main diff. lock piston kit	KIT 2614
		Diff. case and gearset upgrade	KIT 2655-391
		Diff. case and gearset upgrade	KIT 2655-410
		Diff. case and gearset upgrade	KIT 2655-430
		Diff. case and gearset upgrade	KIT 2655-456
		Replaces A2-3200-C-1511 fast ratios, less diff. lock.	KIT 2657
		Replaces A2-3200-C-1511 mid range ratios, less diff. lock.	KIT 2657A
		Replaces A2-3200-C-1511 std. range ratios, less diff. lock.	KIT 2657B
		Replaces A2-3200-C-1511 fast ratios, with diff. lock.	KIT 2658
		Replaces A2-3200-C-1511 mid range ratios, with diff. lock.	KIT 2658A
		Replaces A2-3200-C-1511 std. ratios, with diff. lock.	KIT 2658B
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4415
		Major overhaul kit	KIT RR23160
	3200-Z-1560 Standard	Pinion bearing cage shims	KIT 1592
	3200-Z-1560 Diff. Lock	Pinion bearing spacers	KIT 1593
	3200-Z-1560 NoSpin diff.	Ring gear to case fastener kit, prior to 4/88	KIT 2317
		Main diff. nest kit with spider *	KIT 2318
		Main diff. nest kit less spider *	KIT 2341
		Main diff. lock actuator kit (minor)	KIT 2406
		Ring gear to case fasteners after 4/88	KIT 2426
		Diff. case assembly kit	KIT 2796
		Main diff. lock piston kit	KIT 2614
		Diff. case and gearset upgrade	KIT 2468-391
		Diff. case and gearset upgrade	KIT 2468-410
		Diff. case and gearset upgrade	KIT 2468-430
		Diff. case and gearset upgrade	KIT 2468-456
		Replaces A2-3200-Z-1560 fast ratios, less diff. lock.	KIT 2642
		Replaces A2-3200-Z-1560 mid range ratios, less diff. lock.	KIT 2642A
		Replaces A2-3200-Z-1560 std. ratios, less diff. lock.	KIT 2642B
		Replaces A2-3200-Z-1560 fast ratios, with diff. lock.	KIT 2643
		Replaces A2-3200-Z-1560 mid range ratios, with diff. lock.	KIT 2643A
		Replaces A2-3200-Z-1560 std. ratios, with diff. lock.	KIT 2643B
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4415
		Major overhaul kit	KIT RR23160
	3200-T-1658 Standard	Pinion bearing cage shims	KIT 1592
	3200-T-1658 NoSpin diff.	Pinion bearing spacers	KIT 1593
	1200 : 1000 Hoopin am.	Ring gear to case fastener kit, prior to 4/88	KIT 2317
		Main diff. nest kit with spider *	KIT 2317
		Main diff. nest kit less spider *	KIT 2341
		Ring gear to case fasteners after 4/88	KIT 2426
		Diff. case assembly kit	KIT 2796
		Replaces A2-3200-T-1658 fast ratios, less diff. lock.	KIT 2642
		Replaces A2-3200-T-1658 mid range ratios, less diff. lock.	KIT 2642A
		Replaces A2-3200-T-1658 std. range ratios, less diff. lock.	KIT 2642B
		·	
		Lock pin kit (non-ABS carriers only)	KIT 4284
1		Bearing and seal kit	KIT 4415
		Major overhaul kit	KIT RR23160

^{*} Diff. nest kit not required with NoSpin.

AXLE	BASE		КІТ
MODEL	CARRIER	KIT DESCRIPTION	NUM BER
Single Axle	3200-R-1708 Diff. lock	Pinion bearing cage shims	KIT 1592
RC-23-160	3200-C-1823 Diff. lock	Pinion bearing spacers	KIT 1593
RS-23-160	3200-T-1892 Diff. lock	Main diff. nest kit w ith spider	KIT 2318
RS-23-161	3200-D-1928 Diff. lock	Main diff. nest kit less spider	KIT 2341
RS-24-160		Main diff. lock actuator kit (minor) (all except 3200-T-1892)	KIT 2406
S-25-160		Main diff. lock actuator kit (minor) (3200-T-1892)	KIT 2750
S-26-160		Ring gear to case fasteners after 4/88	KIT 2426
		Diff. case assembly kit	KIT 2796
		Main diff. lock piston kit (all except 3200-T-1892)	KIT 2614
		Main diff. lock piston kit (3200-T-1892)	KIT 2691
		Main diff. lock actuator kit (all except 3200-T-1892)	KIT 2615
		Main diff. lock actuator kit (3200-T-1892)	KIT 2698
		Replaces A2-3200-R-1708	KIT 2659
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4428
		Main diff. lock kit (3200-T-1892, 3200-D-1928)	KIT 2698
		Major overhaul kit	KIT RR23160B
		Replaces A2-3200-C-1823	KIT 2762
	3200-P-1706 Standard	Pinion bearing cage shims	KIT 1592
	3200-H-1854 Standard	Pinion bearing spacers	KIT 1593
	3200-J-1856 Standard	Main diff. nest kit with spider *	KIT 2318
	3200 0 1000 Standard	Main diff. nest kit less spider *	KIT 2341
	3200-P-1706 NoSpin diff.	Ring gear to case fasteners after 4/88	KIT 2426
	3200-A-1821 NoSpin diff.	Diff. case assembly kit	KIT 2796
	3200-A-1021 NOSPIII dii1.	Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4426
		Major overhaul kit	KIT RR23160A
	3200-V-1712 Standard	·	KIT 1592
		Pinion bearing cage shims	
	3200-Y-1897 Standard 3200-E-1929 Standard	Pinion bearing spacers Main diff. nest kit w ith spider *	KIT 1593
	3200-E-1929 Standard		KIT 2318
	0000 \/ 4740 B'''	Main diff. nest kit less spider *	KIT 2341
	3200-V-1712 Diff. lock	Ring gear to case fasteners after 4/88	KIT 2426
	3200-Y-1897 Diff. lock	Diff. case assembly kit	KIT 2796
	3200-E-1929 Diff. lock	Main diff. lock piston kit (all except 3200-Y-1897,3200-E-1929)	KIT 2614
		Main diff. lock actuator (all except 3200-Y-1897,3200-E-1929)	KIT 2615
	3200-V-1712 NoSpin diff.	Main diff. lock kit (3200-Y-1897,3200-E-1929)	KIT 2698
	3200-E-1825 NoSpin diff.	Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4428
		Major overhaul kit	KIT RR23160B
	3200-V-1660 Diff. lock	Pinion bearing cage shims	KIT 1592
		Pinion bearing spacers	KIT 1593
		Ring gear to case fastener kit, prior to 4/88	KIT 2317
		Main diff. nest kit w ith spider	KIT 2318
		Main diff. nest kit less spider	KIT 2341
		Main diff. lock actuator kit (minor)	KIT 2406
		Main diff. lock actuator kit	KIT 2414
		Ring gear to case fasteners after 4/88	KIT 2426
		Diff. case assembly kit	KIT 2796
		Main diff. lock piston kit	KIT 2614
		Replaces A2-3200-Z-1560 fast ratios, with diff. lock.	KIT 2643
		Replaces A2-3200-Z-1560 mid range ratios, with diff. lock.	KIT 2643A
		Replaces A2-3200-Z-1560 std. ratios, with diff. lock.	KIT 2643B
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4415
		Major overhaul kit	KIT RR23160

AXLE	BASE		KIT
MODEL	CARRIER	KIT DESCRIPTION	NUMBER
Front	3200-J-1648 Standard	Thru-shaft bearing preload spacers	KIT 576
RD-20-160	3200-J-1648 NoSpin diff.	Ring gear to case fastener kit, prior to 4/88	KIT 2317
RD-23-160	· ·	Main diff. nest kit with spider *	KIT 2318
RD-23-164		Main diff. nest kit less spider *	KIT 2341
RD-26-160		Pinion bearing spacers	KIT 2397
RD-25-160		I.A.D nest with spider	KIT 2424
		Ring gear to case fasteners after 4/88	KIT 2426
		Input and pinion shims	KIT 2429
		Helical gear kit	KIT 2483
		I.A.D. nest less spider	KIT 2489
		Output nut and washer upgrade	KIT 2637
		Input shaft nut and washer upgrade	KIT 2638
		Replaces A2-3200-J-1648 fast ratios	KIT 2644
		Replaces A2-3200-J-1648 mid range ratios	KIT 2644A
		Replaces A2-3200-J-1648 std. ratios	KIT 2644B
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4420
		Overhaul kit	KIT RP23160A
	3200-M-1703 Standard	Thru-shaft bearing preload spacers	KIT 576
	3200-M-1703 Standard	Main diff. nest kit with spider *	KIT 2318
	3200-W-1703 N03pii1 dii1.	Main diff. nest kit less spider *	KIT 2310
		Pinion bearing spacers	KIT 2397 KIT 2424
		I.A.D nest with spider	KIT 2424
		Ring gear to case fasteners after 4/88	
		Input and pinion shims	KIT 2429
		Helical gear kit	KIT 2483
		I.A.D. nest less spider	KIT 2489
		Replaces A2-3200-M-1703	KIT 2618
		Output nut and washer upgrade	KIT 2637
		Input shaft nut and washer upgrade	KIT 2638
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4422
	2000 V 4040 0	Overhaul kit	KIT RP23160A
	3200-X-1818 Standard	Thru-shaft bearing preload spacers	KIT 576
	3200-K-1857 Standard	Main diff. nest kit with spider *	KIT 2318
	3200-Q-1837 Standard	Main diff. nest kit less spider *	KIT 2341
	3200-J-2116 Standard	Pinion bearing spacers	KIT 2397
		I.A.D nest with spider	KIT 2424
	3200-X-1818 NoSpin diff.	Ring gear to case fasteners after 4/88	KIT 2426
	3200-J-2116 NoSpin diff.	Input and pinion shims	KIT 2429
		Helical gear kit	KIT 2483
		I.A.D. nest less spider	KIT 2489
		Output nut and washer upgrade	KIT 2637
		Input shaft nut and washer upgrade	KIT 2638
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Tapered dowel Kit (3200-X-1818)	KIT 4288
		Bearing and seal kit	KIT 4422
		Overhaul kit	KIT RP23160A
Front	3200-W-1713 Diff. lock	Thru-shaft bearing preload spacers	KIT 576
RD-20-160		Main diff. nest kit with spider	KIT 2318
RD-23-160		Main diff. nest kit less spider	KIT 2341
RD-23-164		Pinion bearing spacers	KIT 2397
RD-26-160		Main diff. lock actuator kit (minor)	KIT 2406
RD-25-160		I.A.D nest with spider	KIT 2424

^{*} Diff. nest kit not required with NoSpin.

AXLE MODEL	BASE CARRIER	KIT DESCRIPTION	KIT NUM BER
Front	3200-W-1713 Diff. lock	Ring gear to case fasteners after 4/88	KIT 2426
RD-20-160	(Continued)	Input and pinion shims	KIT 2429
RD-23-160		Helical gear kit	KIT 2483
RD-23-164		I.A.D. nest less spider	KIT 2489
RD-26-160		Main diff. lock piston kit	KIT 2614
D-25-160		Main diff. lock actuator kit	KIT 2615
(Cont.)		Output nut and washer upgrade	KIT 2637
		Input shaft nut and washer upgrade	KIT 2638
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4423
		Overhaul kit	KIT RP23160B
	3200-Y-1819 Diff. lock	Thru-shaft bearing preload spacers	KIT 576
	3200-W-1895 Diff. lock	Main diff. nest kit w ith spider	KIT 2318
	3200-L-2118 Diff. lock	Main diff. nest kit less spider	KIT 2341
		Pinion bearing spacers	KIT 2397
		Main diff. lock actuator kit (minor)	KIT 2406
		I.A.D nest with spider	KIT 2424
		Ring gear to case fasteners after 4/88	KIT 2426
		Input and pinion shims	KIT 2429
		Helical gear kit	KIT 2483
		I.A.D. nest less spider	KIT 2489
		Main diff. lock piston kit (all except 3200-W-1895)	KIT 2614
		Main diff. lock actuator kit (all except 3200-W-1895)	KIT 2615
		Output nut and washer upgrade	KIT 2637
		Input shaft nut and w asher upgrade	KIT 2638
		Main diff. lock piston kit (3200-W-1895)	KIT 2691
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Tapered dow el kit (3200-L-2118)	KIT 4288
		Bearing and seal kit	KIT 4423
		Overhaul kit	KIT RP23160B
		Replaces A2-3200-Y-1819	KIT 2764
	3200-P-1628 Standard	Thru-shaft bearing preload spacers	KIT 576
	3200-P-1628 NoSpin diff.	Ring gear to case fastener kit, prior to 4/88	KIT 2317
	3200-P-1628 Pump	Main diff. nest kit w ith spider *	KIT 2318
	3200-P-1628 Pump w/diff. lock	Main diff. nest kit less spider *	KIT 2341
	3200-P-1628 Pump w/NoSpin	Pinion bearing spacers	KIT 2397
		Main diff. lock actuator kit (minor)	KIT 2406
		Main diff. lock actuator kit	KIT 2414
		I.A.D nest with spider	KIT 2424
		Ring gear to case fasteners after 4/88	KIT 2426
		Input and pinion shims	KIT 2429
		Helical gear kit	KIT 2483
		I.A.D. nest less spider	KIT 2489
		Main diff. lock piston kit	KIT 2614
		Input shaft and pump upgrade kit	KIT 2624
		Output nut and washer upgrade	KIT 2637
		Input shaft nut and washer upgrade	KIT 2638
		Replaces A2-3200-P-1628, fast ratios, with diff. lock	KIT 2640
		Replaces A2-3200-P-1628, mid-range ratios, with diff. lock	KIT 2640A
		Replaces A2-3200-P-1628, std. ratios, with diff. lock	KIT 2640B
		Replaces A2-3200-P-1628, fast ratios, less diff. lock	KIT 2641
		Replaces A2-3200-P-1628, mid-range ratios, less diff. lock	KIT 2641A
		Replaces A2-3200-P-1628, std. ratios, less diff. lock	KIT 2641B
		Lock pin kit (non-ABS carriers only)	KIT 4284
		Bearing and seal kit	KIT 4420
		Overhaul kit	KIT RP23160

^{*} Diff. nest kit not required with NoSpin.

AXLE WODEL TO CARRIER TO KIT CROSS REFERENCE AXLE BASE KIT					
MODEL	CARRIER	KIT DESCRIPTION	NUMBER		
Front	3200-K-1701 Pump	Thru-shaft bearing preload spacers	KIT 576		
RP-20-160	3200-K-1701 Pump w/diff. lock	Main diff. nest kit with spider *	KIT 2318		
RP-23-160	3200-K-1701 Pump w/NoSpin	Main diff. nest kit less spider *	KIT 2341		
RP-23-164	OZOO K 17011 dinp W/NOOpiii	Pinion bearing spacers	KIT 2397		
RP-25-160		Main diff. lock actuator kit (minor)	KIT 2406		
RP-26-160		I.A.D nest with spider	KIT 2424		
IXI -20-100		Ring gear to case fasteners after 4/88	KIT 2426		
		Input and pinion shims	KIT 2429		
		Helical gear kit	KIT 2483		
		I.A.D. nest less spider	KIT 2489		
		Main diff. lock piston kit	KIT 2409		
		Main diff. lock actuator kit	KIT 2615		
		Replaces A2-3200-K-1701	KIT 2616		
		Output nut and washer upgrade	KIT 2637		
		Input shaft nut and washer upgrade	KIT 2638		
		1 9	KIT 4284		
		Lock pin kit (non-ABS carriers only) Bearing and seal kit	KIT 4423		
		<u> </u>	KIT 4423 KIT RP23160B		
	2200 7 1920 Rump	Overhaul kit			
	3200-Z-1820 Pump	Thru-shaft bearing preload spacers	KIT 576 KIT 2318		
	3200-V-1894 Pump	Main diff. nest kit with spider *			
	3200-K-2117 Pump	Main diff. nest kit less spider *	KIT 2341		
	2200 7 4000 Duran w/diff lank	Pinion bearing spacers	KIT 2397		
	3200-Z-1820 Pump w/diff. lock	Main diff. lock actuator kit (minor) (all except 3200-V-1894)	KIT 2406		
	3200-V-1894 Pump w/diff. lock	Main diff. lock actuator kit (minor) (3200-V-1894)	KIT 2750		
	3200-K-2117 Pump w/diff. lock	I.A.D nest with spider	KIT 2424		
		Ring gear to case fasteners after 4/88	KIT 2426		
	3200-Z-1820 Pump w/NoSpin	Input and pinion shims	KIT 2429		
	3200-V-1894 Pump w/NoSpin	Helical gear kit	KIT 2483		
	3200-K-2117 Pump w/NoSpin	I.A.D. nest less spider	KIT 2489		
		Main diff. lock piston kit (all except 3200-V-1894)	KIT 2614		
		Main diff. lock piston kit (3200-V-1894)	KIT 2691		
		Main diff. lock actuator kit (all except 3200-V-1894)	KIT 2615		
		Main diff. lock actuator kit (3200-V-1894)	KIT 2698		
		Output nut and washer upgrade	KIT 2637		
		Input shaft nut and washer upgrade	KIT 2638		
		Lock pin kit (non-ABS carriers only)	KIT 4284		
		Tapered dowel kit (3200-K-2117)	KIT 4288		
		Bearing and seal kit	KIT 4423		
		Overhaul kit	KIT RP23160B		
		Replaces A2-3200-Z-1820 less diff. lock	KIT 2766		
		Replaces A2-3200-Z-1820 with diff. lock	KIT 2763		
Rear RR-20-160 RR-23-160 RR-23-164	All	Use the carriers and kits in the RS-23-160 section			
RR-25-160					
RR-26-160					

^{*} Diff. nest kit not required with NoSpin.

KIT RP23160

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1145	1	Nut	Forward-rear carriers with I.A.D. and without main diff. lock.
2	KIT 2318	1	Main diff. kit with spider	RP-23-160, RP-23-164, RP-26-160
3	KIT 2424	1	IAD Kit with Spider	3200-J-1648, 3200-P-1628
4	KIT 2429	1	Shim Kit	
5	KIT 2637	1	Input Nut and Washer Kit	
6	40-X-1233	1	Pinion Nut	
7	1229-N-1730	1	Pinion Washer	
8	KIT 2397	1	Spacer Kit	
9	KIT 4420	1	Bearing & Seal Kit	

KIT RP23160A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1145	1	Nut	Forward-rear carriers with I.A.D. and without main diff. lock.
2	40-X-1233	1	Lock Nut	RD-23-160, RD-23-164, RD-26-160
3	1229-N-1730	1	Washer	3200-M-1703, 3200-Q-1837, 3200-X-1818, 3200-J-2116
4	KIT 2318	1	Main diff. kit with spider	
5	KIT 2424	1	IAD Kit with Spider	
6	KIT 2429	1	Shim Kit	
7	KIT 2637	1	Input Nut and Washer Kit	
8	KIT 2397	1	Spacer Kit	
9	KIT 4422	1	Bearing & Seal Kit	

KIT RP23160B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1145	1	Nut	Forward-rear carriers with I.A.D. and with main diff. lock.
2	40-X-1233	1	Lock Nut	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	1229-N-1730	1	Washer	RP-26-160
4	KIT 2318	1	Main diff. kit with spider	3200-J-1908, 3200-K-1701, 3200-K-1909, 3200-V-1894,
5	KIT 2397	1	Spacer Kit	3200-W-1713, 3200-W-1895, 3200-Y-1819, 3200-Z-1820
6	KIT 2424	1	IAD Kit with Spider	
7	KIT 2429	1	Shim Kit	
8	KIT 2637	1	Input Nut and Washer Kit	
9	KIT 4423	1	Bearing & Seal Kit	

KIT RR23160

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 1592	1	Shim Kit	Single and rear-rear carriers without main diff. lock.
2	KIT 1593	1	Spacer Kit	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2318	1	Main diff. kit with spider	3200-C-1511, 3200-T-1658, 3200-V-1660, 3200-Z-1560
4	40-X-1233	1	Pinion Nut	
5	1229-N-1730	1	Pinion Washer	
6	KIT 4415	1	Bearing & Seal Kit	

KIT RR23160A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1233	1	Lock Nut	Single and rear-rear carriers without main diff. lock.
2	1229-N-1730	1		RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 1592	1	Shim Kit	3200-A-1821, 3200-H-1854, 3200-J-1856, 3200-P-1706
4	KIT 1593	1	Spacer Kit	
5	KIT 2318	1	Main diff. kit with spider	
6	KIT 4426	1	Bearing & Seal Kit	

KIT RR23160B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1233	1	Lock Nut	Single and rear-rear carriers with diff. lock.
2	1229-W-4521	1		RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 1592	1	O. III. T. C.C.	3200-C-1823, 3200-D-1928, 3200-E-1825, 3200-E-1929,
4	KIT 1593	1	Spacer Kit	3200-R-1708, 3200-T-1892, 3200-V-1712, 3200-Y-1897
5	KIT 2318	1	Main diff. kit with spider	
6	KIT 4428	1	Bearing & Seal Kit	

KIT 576

1111 071	11 070							
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS				
1	1229-P-2590	1	Snap Ring - 3.94mm/.155 in.	Output shaft snap ring kit				
2	1229-Q-2591	1	Snap Ring - 4.01mm/.158 in.	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,				
3	1229-R-2592	1	Snap Ring - 4.09mm/.161 in.	RP-26-160				
4	1229-S-2593	1	Snap Ring - 4.17mm/.164 in.					
5	1229-T-2594	1	Snap Ring - 4.24mm/.167 in.					
6	1229-U-2595	1	Snap Ring - 4.32mm/.170 in.					
7	1229-V-2596	1	Snap Ring - 4.39mm/.173 in.					
8	1229-W-2597	1	Snap Ring - 4.47mm/.176 in.					
9	1229-X-2598	1	Snap Ring - 4.55mm/.179 in.					
10	1229-Y-2599	1	Snap Ring - 4.62mm/.182 in.					

KIT 1592

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2803-Y-2755	4	0.002 in./0.050 mm Shim	RS-23-160, RS-23-161, RS-25-160, RS-26-160
2	2803-Z-2756	2	0.005 in./0.125 mm Shim	
3	2803-A-2757	4	0.008 in./0.200 mm Shim	
4	2803-B-2758	1	0.020 in./0.500 mm Shim	

KIT 1593

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2803-D-2500	2	.250 in./6.35 mm Spacer	Pinion bearing spacers
2	2803-E-2501	2	.251 in./6.38 mm Spacer	RR-23-160, RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	2803-F-2502	2	.252 in./6.40 mm Spacer	3200-A-1821, 3200-A-1899, 3200-C-1511, 3200-C-1823,
4	2803-N-2510	2	.253 in./6.45 mm Spacer	3200-C-1831, 3200-D-1928, 3200-E-1825, 3200-E-1929,
5	2803-G-2503	2	.254 in./6.45 mm Spacer	3200-H-1854, 3200-J-1752, 3200-J-1804, 3200-J-1856,
6	2803-H-2504	2	.256 in./6.50 mm Spacer	3200-K-1753, 3200-P-1706, 3200-R-1708, 3200-S-1839,
7	2803-J-2506	2	.260 in./6.60 mm Spacer	3200-T-1658, 3200-T-1892, 3200-U-1399, 3200-V-1660,
8	2803-K-2507	2	.261 in./6.63 mm Spacer	3200-V-1712, 3200-W-1791, 3200-Y-1897, 3200-Z-1560
9	2803-L-2508	2	.262 in./6.65 mm Spacer	
10	2803-M-2509	2	.263 in./6.68 mm Spacer	

KIT 2317

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	41-X-1216	12	Capscrew	Gear to case bolt kit (17.0 mm bolts prior to 4-88)
2	1229-U-1503	12	Washer	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	40-X-1182	12	Lock Nut	RP-26-160, RR-23-160, RR-23-164, RR-26-160, RS-23-160,
				RS-25-160, RS-26-160

KIT 2318

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2233-M-1001	4	Differential Pinion, Finished	Main diff. kit with spider.
2	2234-C-1069	2	Differential Side Gear, Finished	RS-23-160, RS-23-161, RS-25-160
3	3278-W-335	1	Differential Spider	
4	1229-L-3002	2	Side Gear Thrust Washer	
5	1229-K-3001	4	Differential Pinion Washer	

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	1229-L-3002	2	Side Gear Thrust Washer	Main diff. kit less spider.
2	2234-C-1069	2	Differential Side Gear, Finished	RS-23-160, RS-23-161, RS-25-160
3	2233-M-1001	4	Differential Pinion, Finished	
4	1229-K-3001	4	Differential Pinion Washer	

KIT 2397

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2203-V-9824	2	.451 in./11.45 mm Spacer	Pinion bearing spacers
2	2203-W-9825	2	.452 in./11.48 mm Spacer	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	2203-X-9826	2	.453 in./11.50 mm Spacer	RP-26-160
4	2203-Y-9827	2	.454 in./11.53 mm Spacer	
5	2203-Z-9828	2	.455 in./11.55 mm Spacer	
6	2203-A-9829	2	.459 in./11.65 mm Spacer	
7	2203-B-9830	2	.463 in./11.75 mm Spacer	
8	2203-C-9831	2	.467 in./11.85 mm Spacer	
9	2203-D-9832	2	.470 in./11.95 mm Spacer	
10	2203-E-9833	2	.474 in./12.05 mm Spacer	
11	2203-F-9834	2	.478 in./12.15 mm Spacer	
12	2203-G-9835	2	.482 in./12.25 mm Spacer	
13	2203-H-9836	2	.483 in./12.28 mm Spacer	
14	2203-J-9838	2	.484 in./12.30 mm Spacer	
15	2203-K-9839	2	.485 in./12.33 mm Spacer	
16	2203-L-9840	2	.486 in./12.35 mm Spacer	

KIT 2406

				·
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	3196-F-32	1	Air Cylinder tube	Bolt-on shifter.
2	2230-N-170	1	Piston	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	5-X-1153	1	O-Ring	RP-26-160, RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2208-H-944	1	Gasket	3200-C-1511, 3200-Z-1560, 3200-P-1628, 3200-V-1660,
5	41-X-1333	1	Capscrew	3200-K-1701, 3200-R-1708, 3200-V-1712, 3200-W-1713,
6	41-X-1364	4	Capscrew	3200-Y-1819, 3200-C-1823, 3200-E-1825
7	MWA-506	4	Washer	
8	42-X-1027	1	Washer	

KIT 2414

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	3266-F-1020	1	Cover	Services carriers with main diff. lock, prior to 11/93.
2	MWA-506	4	Washer	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	2208-L-1000	1	Gasket	3200-C-1511, 3200-P-1628, 3200-V-1660
4	MS-210016-1	1	Capscrew	
5	41-X-1364	4	Capscrew	
6	2208-H-944	1	Gasket	
7	3196-F-32	1	Air Cylinder tube	
8	5-X-1153	1	O-Ring	
9	2230-N-170	1	Piston	
10	42-X-1027	1	Washer	
11	2244-Y-51	1	Shift Shaft	
12	43-X-1006	1	Shift Shaft Pin	
13	2258-L-714	1	Spring	
14	43-X-1007	2	Shift Fork Pin	
15	41-X-1333	1	Capscrew	
16	3296-Y-1169	1	Shift Fork	
17	3107-F-1020	1	Shift Collar	
18	KIT 4429	1	DCDL Switch Kit	
19	1227-P-1056	1	Sensor Adjusting Nut	

	N1 2727					
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS		
1	2234-T-1190	1	Differential Side Gear, Finished	I.A.D. nest with spider		
2	3892-T-4934	1	Integral Gear (Helical, Forward, Side Gear)	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,		
3	3278-N-300	1	Differential Spider	RP-26-160		
4	2233-K-245	4	Differential Pinion, Finished	3200-J-1648, 3200-J-1908, 3200-K-1701, 3200-K-1857,		
5	1229-Q-2929	4	Pinion Thrust Washer	3200-K-1909, 3200-L-1858, 3200-M-1703, 3200-P-1628,		
6	1229-S-4985	1	Thrust Washer	3200-Q-1837, 3200-V-1894, 3200-W-1713, 3200-W-1895,		
7	2297-S-5349	1	Snap Ring	3200-X-1818, 3200-Y-1819, 3200-Z-1820, 3200-J-2116,		
			· -	3200-K-2117, 3200-L-2118		

KIT 2426

	W: = != *					
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS		
1	1229-U-1503	12	Washer	Gear to case bolt kit (16.5 mm bolts after 4-88)		
2	40-X-1182	12	Lock Nut	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,		
3	41-X-1276	12	Capscrew	RP-26-160, RR-23-160, RR-23-164, RR-26-160, RS-23-160,		
			,	RS-23-161, RS-25-160, RS-26-160		

KIT 2429

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2203-K-9241	1	Shim076mm/.003 in.	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
2	2203-L-9242	1	Shim127mm/.005 in.	RP-26-160
3	2203-M-9243	4	Shim254mm/.010 in.	
4	2203-F-2788	1	Shim076mm/.003 in.	
5	2203-G-2789	1	Shim127mm/.005 in.	
6	2203-H-2790	4	Shim254mm/.010 in.	

KIT 2483

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	3892-T-4934	1	Integral Gear (Helical, Forward, Side Gear)	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
2	3892-U-4909	1	Helical Gear	RP-26-160

KIT 2489

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2234-T-1190	1	Differential Side Gear, Finished	I.A.D. nest less spider
2	3892-T-4934	1	Integral Gear (Helical, Forward, Side Gear)	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	2233-K-245	4	Differential Pinion, Finished	RP-26-160
4	1229-Q-2929	4	i illion milast washer	3200-J-1648, 3200-J-1908, 3200-K-1701, 3200-K-1857,
5	1229-S-4985	1	THI GST WGSHOT	3200-K-1909, 3200-L-1858, 3200-M-1703, 3200-P-1628,
				3200-Q-1837, 3200-V-1894, 3200-W-1713, 3200-W-1895,
				3200-X-1818, 3200-Y-1819, 3200-Z-1820, 3200-J-2116,
				3200-K-2117, 3200-L-2118

KIT 2575

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2234-C-1069N	2	Side Gear	Coach Quality main diff. kit with spider.
2	2233-M-1001	4	Differential Pinion	RS-23-160, RS-23-161, RS-25-160
3	3278-W-335	1	Spider	
4	1229-K-3001	4	Thrust Washer	
5	1229-L-3002	2	Thrust Washer	

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2230-N-170	1	Piston	Main diff. lock piston kit.
2	5-X-1153	1	O-Ring	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	41-X-1333	1	oupon on	RP-26-160, RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	41-X-1359	4	Shift Ohit Bolt	3200-C-1511, 3200-Z-1560, 3200-P-1628, 3200-V-1660,
5	MWA-506	4	Washer	3200-K-1701, 3200-R-1708, 3200-V-1712, 3200-W-1713,
				3200-Y-1819, 3200-Z-1820, 3200-C-1823, 3200-E-1825

KIT 2615

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	3296-Y-1169	1	Shift Fork	Main diff. lock actuator kit.
2	3107-B-1094	1	Clutch Collar	RP-23-160, RP-23-164, RP-26-160, RS-23-160, RS-23-161,
3	43-X-1007	2	Shift Fork Pin	RS-25-160, RS-26-160
4	2244-L-1026	1	Shift Shaft	3200-K-1701, 3200-R-1708, 3200-V-1712, 3200-W-1713,
5	43-X-1006	1	Shift Shaft Pin	3200-Y-1819, 3200-Z-1820, 3200-C-1823, 3200-E-1825
6	2258-L-714	1	Spring	
7	3196-F-32	1	Air Cylinder tube	
8	2230-N-170	1	Piston	
9	5-X-1153	1	O-Ring	
10	2208-H-944	1	Gasket	
11	3266-F-1020	1	Cover	
12	MWA-506	4	Washer	
13	41-X-1364	4	Capscrew	
14	2208-L-1000	1	Gasket	
15	MS-210016-1	1	Capscrew	
16	41-X-1333	1	Capscrew	
17	KIT 4429	1	DCDL Switch Kit	
18	1227-P-1056	1	Sensor Adjusting Nut	

KIT 2616

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	41-X-1080	4	Capscrew	Carrier and cap update kit
2	41-X-1364	4	Capscrew	RP-23-160, RP-23-164, RP-26-160
3	MWA-506	4	Washer	3200-K-1701
4	KIT 2825	1	Shift Kit	
5	KIT 2763	1	Carrier & Cap Assembly	

KIT 2618

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-J-2116S	1	Carrier & Cap Assembly	Carrier and cap update kit
2	KIT 2825	1	Shift Kit	RD-23-160, RD-23-164, RD-26-160
				3200-M-1703

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A1-3297-S-1605	1	Input Shaft	Pump update kit
2	A-3303-P-1030	1	Oil Pump Assembly	RD-23-160, RD-23-164, RD-26-160
				3200-P-1628

KIT 2637

ITEN	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1237	1	Input Nut	M39 x 1.5 nut thread. Front input, rear input.
2	1229-T-1736	1	Washer	RD160, RD164, RP160, RP164, RR160, RR164, RS160, RS161

KIT 2638

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1233	1	Lock Nut	M45 x 1.5 nut thread. Front input.
2	1229-W-4521	1	Washer	RD160, RD164, RP160, RP164, RR160, RR164, RS160, RS161

KIT 2640

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2763	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, fast ratios) for
2	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	diff. lock
3	3107-B-1094	1	Clutch Collar	RD-23-160, RD-23-164, RD-26-160
4	41-X-1364	4	Capscrew	3200-P-1628
5	MWA-506	4	Washer	
6	2214-G-1125	1	Adjusting Ring	
7	2214-J-1128	1	Adjusting Ring	
8	592A	1	Bearing Cup	
9	594A	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	52400	1	Differential Bearing Cone	
12	A2-3235-C-2109	1	Unloaded Differential Case	

KIT 2640A

1111 20				
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2763	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, mid-range
2	A2-3261-Q-1057	1		ratios) for diff. lock
3	3107-B-1094	1	Clutch Collar	RD-23-160, RD-23-164, RD-26-160
4	41-X-1364	4	Capscrew	3200-P-1628
5	MWA-506	4	Washer	
6	2214-G-1125	1	Adjusting Ring	
7	2214-J-1128	1	Adjusting Ring	
8	592A	1	Bearing Cup	
9	594A	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	52400	1	Differential Bearing Cone	
12	A2-3235-E-2111	1	Unloaded Differential Case	

KIT 2640B

KII ZU	KIT 2040D					
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS		
1	KIT 2763	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, standard		
2	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	ratios) for diff. lock		
3	3107-B-1094	1	Clutch Collar	RD-23-160, RD-23-164, RD-26-160		
4	41-X-1364	4	Capscrew	3200-P-1628		
5	MWA-506	4	Washer			
6	2214-G-1125	1	Adjusting Ring			
7	2214-J-1128	1	Adjusting Ring			
8	592A	1	Bearing Cup			
9	594A	1	Differential Bearing Cone			
10	52618	1	Bearing Cup			
11	52400	1	Differential Bearing Cone			
12	A2-3235-G-2113	1	Unloaded Differential Case			

KIT 2641

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2766	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, fast ratios) less
2	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	diff. lock
3	41-X-1080	4	Capscrew	RP-23-160, RP-23-164, RP-26-160
4	MWA-506	4	Washer	3200-P-1628
5	2214-G-1125	1	Adjusting Ring	
6	2214-J-1128	1	Adjusting Ring	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	A5-3235-C-2109	1	Unloaded Differential Case	

KIT 2641A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2766	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, mid-range
2	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	ratios) less diff. lock
3	41-X-1080	4	Capscrew	RP-23-160, RP-23-164, RP-26-160
4	MWA-506	4	Washer	3200-P-1628
5	2214-G-1125	1	Adjusting Ring	
6	2214-J-1128	1	Adjusting Ring	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	A5-3235-E-2111	1	Unloaded Differential Case	

KIT 2641B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2766	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, standard
2	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	ratios) less diff. lock
3	41-X-1080	4	Capscrew	RP-23-160, RP-23-164, RP-26-160
4	MWA-506	4	Washer	3200-P-1628
5	2214-G-1125	1	Adjusting Ring	
6	2214-J-1128	1	Adjusting Ring	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	A5-3235-G-2113	1	Unloaded Differential Case	

KIT 2642

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-P-1706	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, fast ratios) less
2	2214-G-1125	2	Adjusting Ring	diff. lock
3	592A	2	Bearing Cup	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	594A	2	Differential Bearing Cone	3200-T-1658, 3200-Z-1560
5	1228-B-1042	1	Spigot Bearing	
6	A-3235-C-2109	1	Unloaded Differential Case	

KIT 2642A

=0	W. EVIER					
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS		
1	A2-3200-P-1706	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, mid-range		
2	2214-G-1125	2	Adjusting Ring	ratios) less diff. lock		
3	592A	2	Bearing Cup	RS-23-160, RS-23-161, RS-25-160, RS-26-160		
4	594A	2	Differential Bearing Cone	3200-T-1658, 3200-Z-1560		
5	1228-B-1042	1	Spigot Bearing			
6	A-3235-E-2111	1	Unloaded Differential Case			

KIT 2642B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-P-1706	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, standard
2	A-3235-G-2113	1		ratios) less diff. lock
3	594A	2	Differential Bearing Cone	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	592A	2	Bearing Cup	3200-T-1658, 3200-Z-1560
5	2214-G-1125	2	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	

KIT 2643

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2762	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, fast ratios) for
2	3107-B-1094	1	Clutch Collar	diff. lock.
3	A2-3235-C-2109	1	Unloaded Differential Case	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-G-1125	1	Adjusting Ring	3200-V-1660, 3200-Z-1560
5	2214-J-1128	1	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	
7	41-X-1364	4	Capscrew	
8	594A	1	Differential Bearing Cone	
9	592A	1	Bearing Cup	
10	52400	1	Differential Bearing Cone	
11	52618	1	Bearing Cup	
12	MWA-506	4	Washer	

KIT 2643A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2762	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, mid-range
2	A2-3235-E-2111	1	Unloaded Differential Case	ratios) for diff. lock
3	3107-B-1094	1	Clutch Collar	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-V-1660, 3200-Z-1560
5	2214-G-1125	1	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	41-X-1364	4	Capscrew	
12	MWA-506	4	Washer	

KIT 2643B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2762	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, standard
2	A2-3235-G-2113	1		ratios) for diff. lock
3	3107-B-1094	1	Clutch Collar	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-V-1660, 3200-Z-1560
5	2214-G-1125	1	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	
11	41-X-1364	4	Capscrew	
12	MWA-506	4	Washer	

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-X-1818	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, fast ratios) less
2	A-3235-C-2109	1	Unloaded Differential Case	diff. lock. Conversion kit from bolt-on to screw-in I.A.D. shifter.
3	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	RD-23-160, RD-23-164, RD-26-160
4	594A	2	Differential Bearing Cone	3200-J-1648
5	592A	2	Bearing Cup	
6	2214-G-1125	2	Adjusting Ring	

KIT 2644A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-X-1818	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, mid-range
2	A-3235-E-2111	1	Unloaded Differential Case	ratios) less diff. lock. Conversion kit from bolt-on to screw-in I.A.D.
3	A2-3261-Q-1057	1	IAD Shift Cylinder Assembly	shifter.
4	594A	2	Differential Bearing Cone	RD-23-160, RD-23-164, RD-26-160
5	592A	2	Bearing Cup	3200-J-1648
6	2214-G-1125	2	Adjusting Ring	

KIT 2644B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-X-1818	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff case assembly, standard
2	A-3235-G-2113	1	Unloaded Differential Case	ratios) less diff. lock. Conversion kit from bolt-on to screw-in I.A.D.
3	A2-3261-Q-1057	1	In D Shirt Oylinder Assembly	shifter.
4	592A	2	Bearing Cup	RD-23-160, RD-23-164, RD-26-160
5	594A	2	Differential Bearing Cone	3200-J-1648
6	2214-G-1125	2	Adjusting Ring	

KIT 2657

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2634	1	Carrier & Cap Update Kit	Carrier and cap update kit (with diff case assembly, fast ratios) less
2	A5-3235-C-2109	1	Unloaded Differential Case	diff. lock
3	594A	1	- mar - mar - carming - cont	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	592A	1	Bearing Cup	3200-C-1511
5	52618	1	Bearing Cup	
6	52400	1	Differential Bearing Cone	
7	2214-J-1128	1	Adjusting Ring	
8	2214-G-1125	1	Adjusting Ring	
9	1228-B-1042	1	Spigot Bearing	

KIT 2657A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2634	1	Carrier & Cap Update Kit	Carrier and cap update kit (with diff case assembly, mid-range
2	A5-3235-E-2111	1	Unloaded Differential Case	ratios) less diff. lock
3	2214-G-1125	1	Adjusting Ring	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-C-1511
5	594A	1	Differential Bearing Cone	
6	592A	1	Bearing Cup	
7	52400	1	Differential Bearing Cone	
8	52618	1	Bearing Cup	
9	1228-B-1042	1	Spigot Bearing	

KIT 2657B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2634	1	Carrier & Cap Update Kit	Carrier and cap update kit (with diff case assembly, standard
2	A5-3235-G-2113	1	Unloaded Differential Case	ratios) less diff. lock
3	2214-G-1125	1	Adjusting Ring	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-C-1511
5	594A	1	Differential Bearing Cone	
6	592A	1	Bearing Cup	
7	52400	1	Differential Bearing Cone	
8	52618	1	Bearing Cup	
9	1228-B-1042	1	Spigot Bearing	

KIT 2658

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2634	1	Carrier & Cap Update Kit	Carrier and cap update kit (with diff case assembly, fast ratios) for
2	A2-3235-C-2109	1	Unloaded Differential Case	diff. lock
3	3107-B-1094	1	Clutch Collar	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-C-1511
5	2214-G-1125	1	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	

KIT 2658A

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2634	1	Carrier & Cap Update Kit	Carrier and cap update kit (with diff case assembly, mid-range
2	A2-3235-E-2111	1		ratios) for diff. lock
3	3107-B-1094	1	Clutch Collar	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-C-1511
5	2214-G-1125	1	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	

KIT 2658B

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	KIT 2634	1	Carrier & Cap Update Kit	Carrier and cap update kit (with diff case assembly, standard
2	A2-3235-G-2113	1		ratios) for diff. lock
3	3107-B-1094	1	Clutch Collar	RS-23-160, RS-23-161, RS-25-160, RS-26-160
4	2214-J-1128	1	Adjusting Ring	3200-C-1511
5	2214-G-1125	1	Adjusting Ring	
6	1228-B-1042	1	Spigot Bearing	
7	594A	1	Differential Bearing Cone	
8	592A	1	Bearing Cup	
9	52400	1	Differential Bearing Cone	
10	52618	1	Bearing Cup	

KIT 2659

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS		
1	KIT 2762	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff. lock)		
2	41-X-1364	4	Capscrew	RS-23-160, RS-23-161, RS-25-160, RS-26-160		
3	MWA-506	4	Washer	3200-C-1823, 3200-D-1928, 3200-R-1708, 3200-T-1892		

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A-3261-A-1067	1	DCDL Shift Cylinder	Main diff. lock, screw-in shift, Services all new style screw in type
2	2244-Z-1222	1		main differential lock carriers
3	5-X-521	1	O-Ring	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
4	41-X-1368	1	Caging Bolt	RP-26-160
				3200-T-1892, 3200-V-1894

KIT 2698

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	3296-B-1172	1	Shift Fork	Main diff. lock kit.
2	3107-B-1094	1	Clutch Collar	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	2244-Z-1222	1	Push Rod	RP-26-160, RR-23-160, RR-23-164, RR-26-160, RS-23-160,
4	2258-N-1262	1	Spring	RS-23-161, RS-25-160, RS-26-160
5	A-3261-A-1067	1	DCDL Shift Cylinder	3200-T-1892, 3200-V-1894, 3200-W-1895, 3200-Y-1897,
6	2230-T-1190	1	Piston	3200-J-1908, 3200-K-1909, 3200-D-1928, 3200-E-1929,
7	41-X-1368	1	Caging Bolt	3200-K-2117, 3200-L-2118
8	5-X-521	1	O-Ring	
9	KIT 4429	1	DCDL Switch Kit	

KIT 2750

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	2244-Z-1222	1	Push Rod	Screw-in shifter.
2	2258-N-1262	1	Spring	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	A-3261-A-1067	1	DODE Office Office	RP-26-160
4	41-X-1368	1	Caging Bolt	3200-T-1892, 3200-V-1894, 3200-K-2117
5	5-X-521	1	O-Ring	

KIT 2762

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-T-1892	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff. lock)
2	KIT 2691	1	Shift Cylinder Kit	RR-23-160, RR-23-164, RR-26-160, RS-23-160, RS-23-161,
3	3296-B-1172	1	OTHER TOTAL	RS-25-160, RS-26-160
4	2258-N-1262	1	pring	3200-C-1823, 3200-D-1928, 3200-R-1708, 3200-T-1892,
5	2206-L-1156	1	Elbow Fitting	3200-V-1894, 3200-K-2117

KIT 2763

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-K-2117S	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff. lock, with pump)
2	KIT 2691	1	Shift Cylinder Kit	RP-23-160, RP-23-164, RP-26-160
3	3296-B-1172	1	Shift Fork	3200-V-1894, 3200-Z-1820, 3200-K-2117
4	2258-N-1262	1	Spring	
5	2206-L-1156	1	Elbow Fitting	

KIT 2764

	11 2701						
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS			
1	A2-3200-L-2118S	1	Carrier & Cap Assembly	Carrier and cap update kit (with diff. lock, less pump)			
2	KIT 2691	1	Shift Cylinder Kit	RD-23-160, RD-23-164, RD-26-160			
3	3296-B-1172	1	Shift Fork	3200-W-1895, 3200-Y-1819,3200-L-2118			
4	2258-N-1262	1	Spring				
5	2206-L-1156	1	Elbow Fitting				

KIT 2766

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3200-K-2117S	1	Carrier & Cap Assembly	Carrier and cap update kit (less diff. lock, with pump). RP-23-160,
2	1250-U-1217	1	Plug	RP-23-164, RP-26-160. 3200-V-1894, 3200-Z-1820, 3200-K-2117

KIT 2796

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A1-3235-A-2393	1	Differential Case Assembly	I.A.D. assembly. RD-23-160, RD-23-164, RD-26-160, RP-23-160,
2	KIT 2424	1	IAD Kit with Spider	RP-23-164, RP-26-160

KIT 2824

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A-3261-A-1067	1	DCDL Shift Cylinder	Main differential kit
2	2244-Z-1222	1	Push Rod	160 Series

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A4-3261-Q-1057	1	IAD Shift Cylinder	I.A.D. kit
2	2244-Y-1221	1	Push Rod	160 Series

KIT 2826

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	40-X-1233	1	Locknut	Input shaft nut and washer kit
2	1229-N-1730	1	Washer	

KIT 2830

Ī	ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
ſ	1	2214-N-1262	1	Adjusting Ring	Adjusting ring kit
ſ	2	1229-F-4452	2	Snap Ring	

KIT 2902

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A-2297-C-8765	1	Breather	Breather kit
2	A-3196-J-1336	1	Breather Tube	

KIT 4284

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	41-X-1637	2	Capscrew	Lock pin kit
2	1199-R-2176	2	Cotter Pin	160 Series
3	1246-P-1134	1	Spirol Pin	

KIT 4288

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	10-X-1595	4	Bolt	For Tapered Dowel 164EH Forward Carriers
2	10-X-1599	2	Bolt	RD-23-164, RP-23-164
3	1246-V-1166	6	Dowel	3200-J-2116, 3200-K-2117, 3200-L-2118

KIT 4291

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	10-X-1595	3	Bolt	Tapered Dowel for RR-23-164
2	10-X-1767	1	Bolt	3200-E-2137, 3200-F-2138
3	1246-V-1166	4	Dowel	

KIT 4415

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A1-1205-A-2731	1	Oil Seal Assembly	RS-23-160, RS-23-161, RS-25-160, RS-26-160
2	HM813843	1	Bearing Cone	3200-C-1511, 3200-T-1658, 3200-V-1660, 3200-Z-1560
3	9220	1	Bearing Cup	
4	HM813810	1	Bearing Cup	
5	A1-1228-B-600	2	Bearing Assembly	
6	1228-V-594	1	Bearing	
7	A1-1228-P-1004	1	Bearing Assembly	

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	65500	1	Bearing Cup	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
2	65237	1	Bearing Cone	RP-26-160
3	H715311	1	Bearing Cup	3200-J-1648, 3200-P-1628
4	H715343	1	Bearing Cone	
5	HM813810	1	Bearing Cup	
6	HM813843	1	Bearing Cone	
7	JLM714110	1	Bearing Cup	
8	JLM714149	1	Bearing Cone	
9	A1-1228-B-600	2	Bearing Assembly	
10	A-1205-X-2728	1	Oil Seal Assembly	
11	5-X-1034	1	O-Ring	
12	5-X-1343	1	O-Ring	

KIT 4422

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	592A	2	Bearing Cup	RD-23-160, RD-23-164, RD-26-160
2	594A	2	Differential Bearing Cone	3200-K-1857, 3200-M-1703, 3200-Q-1837, 3200-X-1818,
3	65237	1	Bearing Cone	3200-J-2116
4	65500	1	Bearing Cup	
5	H715311	1	Bearing Cup	
6	H715343	1	Bearing Cone	
7	HM813810	1	Bearing Cup	
8	HM813843	1	Bearing Cone	
9	JLM714110	1	Bearing Cup	
10	JLM714149	1	Bearing Cone	
11	5-X-1343	1	O-Ring	
12	A-1205-X-2728	1	Oil Seal Assembly	

KIT 4423

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	52400	1	Differential Bearing Cone	For all diff. lock capable except original design.
2	52618	1	Bearing Cup	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	592A	1	Bearing Cup	RP-26-160
4	594A	1	Differential Bearing Cone	3200-K-1701, 3200-L-1858, 3200-V-1894, 3200-W-1713,
5	65237	1	Bearing Cone	3200-W1895, 3200-Y-1819, 3200-Z-1820, 3200-K-2117,
6	65500	1	Bearing Cup	3200-L-2118
7	A-1205-X-2728	1	Oil Seal Assembly	
8	H715343	1	Bearing Cone	
9	H715311	1	Bearing Cup	
10	HM-813810	1	Bearing Cup	
11	HM813843	1	Bearing Cone	
12	JLM714110	1	Bearing Cup	
13	JLM714149	1	Bearing Cone	
14	5-X-1034	1	O-Ring	
15	5-X-1343	1	O-Ring	

KIT 4426

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	1228-B-1042	1	Spigot Bearing	Less Diff. Lock
2	1228-V-594	1	Bearing	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	A1-1205-A-2731	1	Oil Seal Assembly	3200-A-1821, 3200-H-1854, 3200-J-1856, 3200-P-1706
4	592A	2	Bearing Cup	
5	594A	2	Differential Bearing Cone	
6	9220	1	Bearing Cup	
7	HM813810	1	Bearing Cup	
8	HM813843	1	Bearing Cone	

KIT 4428

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	1228-B-1042	1	Spigot Bearing	With Diff. Lock
2	1228-V-594	1	Bearing	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	A1-1205-A-2731	1	Oil Seal Assembly	3200-C-1823, 3200-D-1928, 3200-E-1825, 3200-E-1929,
4	52400	1	Differential Bearing Cone	3200-R-1708, 3200-T-1892, 3200-V-1712, 3200-Y-1897
5	52618	1	Bearing Cup	
6	592A	1	Bearing Cup	
7	594A	1	Differential Bearing Cone	
8	9220	1	Bearing Cup	
9	HM813810	1	Bearing Cup	
10	HM813843	1	Bearing Cone	

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	3237-R-1292	1	DCDL Switch	DCDL Switch Kit
2	3237-X-1298	1	DCDL Harness	

KIT 4745

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	41-X-1555	12	Capscrew	Coach Quality gear to case bolt kit (16.5 mm bolts after 4-88)
2	40-X-1182	12	Lock Nut	RD-23-160, RD-23-164, RD-26-160, RP-23-160, RP-23-164,
3	1229-U-1503	12	Washer	RP-26-160, RR-23-160, RR-23-164, RR-26-160, RS-23-160,
				RS-23-161, RS-25-160, RS-26-160

KIT 2468 391

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3235-F-1982	1	Unloaded Differential Case	Diff. case and gearset update with diff. lock, prior to 9/1/88.
2	A-39884-6	1	Gearset	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-Z-1560

KIT 2468 410

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3235-F-1982	1	Unloaded Differential Case	Diff. case and gearset update with diff. lock, prior to 9/1/88.
2	A-39886-6	1	Gearset	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-Z-1560

KIT 2468 430

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3235-F-1982	1	Unloaded Differential Case	Diff. case and gearset update with diff. lock, prior to 9/1/88.
2	A-39888-6	1	Gearset	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-Z-1560

KIT 2468 456

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A2-3235-F-1982	1	Unloaded Differential Case	Diff. case and gearset update with diff. lock, prior to 9/1/88.
2	A-39890-6	1	Gearset	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-Z-1560

KIT 2655 391

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A-39884-6	1	Gearset	Diff. case and gearset upgrade kit.
2	A12-3235-F-1982	1	Unloaded Differential Case	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-C-1511

KIT 2655 410

ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A-39886-6	1	Gearset	Diff. case and gearset upgrade kit.
2	A12-3235-F-1982	1	Unloaded Differential Case	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-C-1511

KIT 2655 430

=0	00 100			
ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
1	A-39888-6	1	Gearset	Diff. case and gearset upgrade kit.
2	A12-3235-F-1982	1	Unloaded Differential Case	RS-23-160, RS-23-161, RS-25-160, RS-26-160
3	KIT 2426	1	Bolt Kit	3200-C-1511

KIT 2655 456

	ITEM	PART NUMBER	QTY.	DESCRIPTION	REMARKS
	1	A-39890-6	1	Gearset	Diff. case and gearset upgrade kit.
	2	A12-3235-F-1982	1	Unloaded Differential Case	RS-23-160, RS-23-161, RS-25-160, RS-26-160
Ī	3	KIT 2426	1	Bolt Kit	3200-C-1511

NU ING

Part Number	Page
4-X-1921	15
4-X-1922	15
5-X-521	6,13
5-X-1034	7
5-X-1153	6,13
5-X-1198	6,13
5-X-1343	3
10-X-1334	3
10-X-1594	4,15
10-X-1595	15
10-X-1599	4,15
10-X-1600	15
15-X-387	14
15-X-1167	4,10
19-X-1087	6,10
40-X-1145	4
40-X-1182	6,10
40-X-1233	3,9
40-X-1237	14
41-X-1018	6,10
41-X-1022	6,13
41-X-1208	3
41-X-1275	5,12
41-X-1276	6,10
41-X-1333	6,13
41-X-1364	6,13
41-X-1368	6,13
42-X-1024	6,10
42-X-1027	6,13
42-X-1408	7,13
43-X-1006	6,13
43-X-1000 43-X-1007	7,13
46-X-1029	10
A-1199-W-4053	15
1199-E-1669	15
A-1205-T-696	15
A-1205-1-696 A-1205-Q-2487	15
A-1205-Q-2467 A1-1205-X-2728	3
A1-1205-X-2726 A1-1205-Y-2729	3 13
A1-1205-1-2729 A1-1205-A-2731	9
1220-K-89	13
1220-K-89 1227-R-330	13 15
1227-D-472 1227-W-517	4,10
	15
1227-P-1056	6,13
1228-V-594	9
A1-1228-B-600	5,10
A1-1228-P-1004	9
1228-B-1042	9
1228-Y-1221	9
1229-U-1009	15

JMERICAL	PARTS LISTI
Part Number	Page
1229-U-1503	5,6,10,12
1229-W-1557	4,15
1229-K-1597	3,4,14
1229-E-1669	3,7
1229-N-1730	3,9
1229-T-1736	14
1229-P-2590	14
1229-Q-2591	14
1229-R-2592	14
1229-S-2593	14
1229-T-2594	14
1229-U-2595	14
1229-U-2596	14
1229-W-2597	14
1229-X-2598	14
1229-Y-2599	14
1229-Q-2929	3
1229-K-3001	6,12
1229-L-3002	6,12
1229-F-4062	7
1229-G-4063	4
1229-W-4131	14
1229-F-4452	7,13
1229-U-4519	7,13
1229-D-4528	7,13
1229-F-4634S	15
1229-S-4985	3
1244-W-1765	4
1246-M-1131	7
1250-E-473	15
1250-N-1080	7
1250-T-1216	7,13
1250-U-1217	6,13
2203-F-2788	4
2203 - C-2789	4
2203-H-2790	4
2203-K-9241	3
2203-K-7241 2203-L-9242	3
2203-L-9242 2203-M-9243	3
2203-V-9824	4
2203-W-9825	4
2203-X-9826	4
2203-Y-9827	4
2203-Z-9828	4
2203-A-9829	4
2203-B-9830	4
2203-C-9831	4
2203-D-9832	4
2203-E-9833	4
2203-F-9834	4
2202 C 002E	1

Part Number Page 2203-H-9836 4	
IZZU3-H-9030 4	
2203-J-9838 4	
2203-K-9839 4	
2203-L-9840 4	
2208-H-944 6,13	
2208-L-1000 6,13	
2214-G-1125 5,10	
2214-J-1128 5,10	
2214-Z-1144 4,10	
2214-U-1269 4,10	
2230-N-170 6,13	
2233-K-245 3	
2233-M-1001 6,12	
2234-C-1069 6,12	
2234-D-1070 12	
2234-T-1190 3	
2244-Y-51 6,13	
2244-L-1026 6,13	
2258-U-411 3	
2258-L-714 6,13	
2258-Z-1118 7	
2258-G-1255 7,13	
2258-N-1262 6,13	
2297-T-4180 10	
2297-U-5273 7	
2297-Z-5278 7	
A-2297-D-5334 7	
2297-S-5349 3	
2297-C-7049 12	
2803-D-2500 9	
2803-E-2501 9	
2803-F-2502 9	
2803-G-2503 9	
2803-H-2504 9	
2803-J-2506 9	
2803-K-2507 9	
2803-L-2508 9	
2803-M-2509 9	
2803-N-2510 9	
2803-Y-2755 9	
2803-Z-2756 9	
2803-A-2757 9	
2803-B-2758 9	
3107-F-1020 6,13	
3107-P-1030 13	
3107-B-1094 6,13	
3107-C-1095 13	
3107-P-1212 3	
3196-F-32 6,13	
A2-3200-P-1706 10	
A2-3200-A-1821 10	

2203-G-9835

NUMERICAL PARTS LISTING

Part Number	Page
A2-3200-Q-1837	3
A2-3200-Q-1037	10
A2-3200-J-1856	10
A2-3200-K-1857	3
A2-3200-L-1858	3
A2-3200-T-1892	10
A2-3200-Y-1897	10
A2-3200-J-1908	3
A2-3200-K-1909	3,4
A2-3200-D-1928	10
A2-3200-E-1929	10
A2-3200-J-2116S	3
A2-3200-L-2118S	3
A2-3200-K-2117S	3,4
A2-3200-E-2137	10
A2-3200-F-2138	10
3202-X-8110	18
3202-Y-8683	18
3202-P-8804	18
3202-Q-8805	18
3202-R-8806	18
3202-A-8815	18
3202-B-8816	18
3202-C-8817	18
3202-G-9003	18
3202-H-9004	18
3202-Y-9125	18
3202-Z-9126	18
3202-A-9127	18
3202-B-9128	18
3202-C-9129	18
3202-D-9130	18
3202-J-9344	18
3202-S-7344 3202-K-9345	18
3202-L-9346	18
3202-L-7340 3202-G-9393	18
3202-Q-9403	18
3202-Q-7403 3202-Y-9489	18
3202-1-9469 3202-Z-9490	18
3202-A-9491	18
3202-K-9553	18
	18
3202-E-9573	-
3202-F-9574	18
3202-G-9575	18
3202-A-9647	18
3202-J-9916	18
3202-L-9918	18
3206-T-1190	18
3206-X-1532	18
3206-Z-1534	18
3216-G-4375	7,13

UMERICAL	PARTS LISTI
Part Number	Page
3221-P-1004	3
A-3226-R-1006	9
A-3226-T-1112	14
A2-3226-T-1112S	14
A-3226-H-1126	3
A-3226-S-1137	3
A-3230-C-1043	6,12
A-3235-S-1813	12
A2-3235-S-1813	11,12
A10-3235-S-1813	•
A11-3235-S-1813	- 1
A12-3235-S-1813	- 1
A13-3235-S-1813	·
A14-3235-S-1813	•
A2-3235-F-1982	12
A3-3235-F-1982	11
A10-3235-F-1982	•
A11-3235-F-1982	- 1
A12-3235-F-1982	•
A13-3235-F-1982	·
A14-3235-F-1982	·
A-3235-H-1984	12
A2-3235-H-1984	12
A3-3235-H-1984	11
A10-3235-H-1984	·
A11-3235-H-1984	·
A12-3235-H-1984	- 1
A13-3235-H-1984	- 1
A14-3235-H-1984 A-3235-C-2109	6,11 5,12
A1-3235-C-2109	5,12 5,11
A2-3235-C-2109	5,11 5,12
A3-3235-C-2109	5,12 5,11
A5-3235-C-2109 A5-3235-C-2109	5,11 5,12
A6-3235-C-2109	5,12 5,11
A7-3235-C-2109	6,11
A8-3235-C-2109	6,11
A-3235-E-2111	5,12
A1-3235-E-2111	5,12
A2-3235-E-2111	5,12
A3-3235-E-2111	5,11
A5-3235-E-2111	5,12
A6-3235-E-2111	5,11
A7-3235-E-2111	6,11
A8-3235-E-2111	6,11
A-3235-G-2113	5,12
A1-3235-G-2113	5,11
A2-3235-G-2113	5,12
A3-3235-G-2113	5,11
A5-3235-G-2113	5,12
A6-3235-G-2113	5,11
	21.5

Dant Namelan	Domo
Part Number	Page
A7-3235-G-2113	6,11
A8-3235-G-2113	6,11
A1-3235-R-2176	6,12
A2-3235-R-2176	5,11
A4-3235-R-2176	5,11
A5-3235-R-2176	6,12
A1-3235-S-2177	6,12
A2-3235-S-2177	5,11
A4-3235-S-2177	5,11
A5-3235-S-2177	6,12
A1-3235-T-2178	6,12
A2-3235-T-2178	5,11
A3-3235-T-2178	6,12
A4-3235-T-2178	11
A-3235-R-2202	12
A1-3235-R-2202	11
A2-3235-R-2202	12
A3-3235-R-2202	11
A1-3235-A-2393	3
A3-3235-A-2393	3
A5-3235-A-2393	3
A-3261-L-350	3
3264-N-1522	7
3266-F-1020	6,13
3266-C-1095	4
3278-N-300	3
3278-W-335	6,12
3280-V-8394	7
SA1-3280-X-9150	7,13
SA2-3280-X-9150	7,13
3296-B-184	7,13
3296-Y-1169	7,13
3296-B-1172	7,13
3296-B-1328	3
3297-V-1010	14
A1-3297-S-1605	3
A-3297-T-1606	3
A-3303-P-1030	7
3892-U-4909	4
3892-T-4934	3
572	15
580	15
592A	5,10,15
594A	5,10,15
9220	9
52400	5,10
52618	5,10
65237	4
65500	4
16N-4-6241	19
16N-4-6271	19

ING N

Part Number	Page
16N-4-7341-1X	21
16NYS38-8A	19
16NYS38-12A	19
16TYS32-76	21
176NYS38-14A	19
176TYS38-27A	21
17N-4-7181X	19
17N-4-7181-1X	21
17N-4-7621-1	21
17N-4-7771X	19
17NYS32-99	19
17NYS32-100	19
17NYS38-61A	19
17TYS32-99	21
18N-4-3731X	19
18N-4-3731-1X	21
5WCS38-18A	22
5WCS38-23A2	22
72NYS32-244	20
72NYS38-24A	20
72NYS38-26A	20
82NYS38-31A	20
92NYS32-26	20
92NYS38-73A	20
A-39654-1	4
A-39656-1	4
A-39658-1	4
A-39660-1	4
A-39662-1	4
A-39664-1	4
A-39666-1	4
A-39672-1	4
A-39674-1	4
A-39876-1	4
A-39878-1	4
A-39880-1	4
A-39882-1	4
A-39884-5	9
A-39886-5	9
A-39888-5	9
A-39890-5	9
A-39892-1	4
A-39896-1	4
A-39898-5	9
A-39900-5	9
A-39902-5	9
A-39904-5	9
A-39906-5	9
A-40024-5	9
A-40104-5	9
A-40106-5	9

Į	JMERICAL	PARTS LISTI
	Part Number	Page
	A-40110-5	9
	A-40116-5	9
	A-40122-5	9
	A-41064-1	4
	A-41066-1	9
	A-41572-1	9
	A-41574-1	9
	A-41828-1	9
	A-41988-1	9
	A-41990-1	9
	A-41992-1	9
	A-41994-1	9
	A-41996-1	9
	A-41998-1	9
	A-42000-1	9
	A-42002-1	9
	A-42004-1	9
	A-42004-1	9
	A-42196-1	9
	A-42466-1	9
	A-42468-1	9
	A-42470-1	9
	A-42470-1 A-42630-1	9
	B-42776-1	9
	B-43454-1	9
	H715311	4
	H715343	4
	HM813810	3,9
	HM813843	3,9
	JLM104910	14
	JLM714110	3
	JLM714149	3
	KIT 576	29
	KIT 1592	29
	KIT 1593	29
	KIT 2317	29
	KIT 2318	11,29
	KIT 2341	29
	KIT 2397	30
	KIT 2406	30
	KIT 2414	30
	KIT 2424	30
	KIT 2426	31
	KIT 2429	31
	KIT 2468 391	41
	KIT 2468 410	41
	KIT 2468 430	41
	KIT 2468 456	41
	KIT 2483	31
	KIT 2489	31
	KIT 2575	31

Part Number	Page
KIT 2614	31
KIT 2615	32
KIT 2616	4,32
KIT 2618	3,32
KIT 2624	3,7,32
KIT 2637	33
KIT 2638	33
KIT 2640	4,33
KIT 2640A	4,33 4,33
KIT 2640B	
KIT 2640B	4,33
	34
KIT 2641A	34
KIT 2641B	34
KIT 2642	10,34
KIT 2642A	10,34
KIT 2642B	10,35
KIT 2643	10,35
KIT 2643A	10,35
KIT 2643B	10,35
KIT 2644	3,35
KIT 2644A	3,36
KIT 2644B	3,36
KIT 2655 391	41
KIT 2655 410	41
KIT 2655 430	41
KIT 2655 456	41
KIT 2657	10,36
KIT 2657A	10,36
KIT 2657B	10,36
KIT 2658	10,37
KIT 2658A	10,37
KIT 2658B	10,37
KIT 2659	10,37
KIT 2691	37
KIT 2698	38
KIT 2750	38
KIT 2762	10,38
KIT 2763	4,38
KIT 2764	4,30 3,38
KIT 2766	3,38
KIT 2796	
KIT 2824	38
	6,13,38
KIT 2825	3,38
KIT 2826	3,39
KIT 2830	5,10
KIT 2902	39
KIT 4284	6,10,39
KIT 4288	39
KIT 4291	39
KIT 4415	39
KIT 4420	39

Part Number	Page	
KIT 4422	40	
KIT 4423	40	
KIT 4426	40	
KIT 4428	40	
KIT 4429	6,13,40	
KIT 4745	41	
KIT RP23160	28	
KIT RP23160A	28	
KIT RP23160B	28	
KIT RR23160	28	
KIT RR23160A	28	
KIT RR23160B	28	
LM-104949	14	
MN-312-1	3	
MS-208016-1	3	
MS-208020-1	13	
MS-208045-1	7	
MS-210016-1	6,13	
MS-210045A-1	3	
MS-212040-2	3	
MS-212045-1	9	
MWA-506	6,13	
MWA-508	13	
MWA-512	3,9	
N-110-1	15	
NL-110-1	4	
P-28-S	15	
P-212	15	

NUMERICAL PA	ARTS LISTII	NG	
Part Number	Page	Part Number	Page
			Part Number Page Part Number

NOTES

NOTES

MERITOR AFTERMARKET PARTS WARRANTY

We warrant all new parts for one year from date of shipment to the buyer against defective material or workmanship (but not against damage caused by accident, abuse or improper installation, maintenance or repair) when such parts are used on vehicles the specifications of which have been approved by our Engineering Department.

As the exclusive remedy under this warranty, we will, at our option, repair or replace such parts free of charge, or take back the nonconforming parts and refund the monies paid by buyer for such parts, if found on examination by us to be nonconforming and if any necessary return charges are prepaid.

If it is necessary to return any parts under this warranty, buyer agrees not to make any deduction on account thereof from remittances on current accounts while claims are in the process of disposition. Any expense incurred without our consent for repairs or replacement will not be allowed.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE.

Only genuine Meritor replacement parts are covered by this aftermarket parts warranty.



ArvinMeritor

Meritor Heavy Vehicle Systems, LLC 7975 Dixie Highway Florence, Kentucky 41042 USA 888-725-9355

arvinmeritor.com XpresswayPlus.arvinmeritor.com

Information contained in this publication was in effect at the time the publication was approved for printing and is subject to change without notice or liability. ArvinMeritor reserves the right to revise the information presented or discontinue the production of parts at any time.

Litho in USA Revised 09-10 PB-9250 (13028/05060) ©2010 ArvinMeritor, Inc.







Meritor Axle Model RT-46160 - RD-23160 - Carrier A6-3200-Q-1837

Pro Gear parts and service manual for <u>Meritor Axle Model RT-46160 - RD-23160 - Carrier A63200Q1837</u> to assist you in identifying the correct configuration of your Meritor Axle. This Meritor A63200Q1837 axle, is available and ready for international shipping. Call today!

If you need any assistance identifying the correct Meritor axle unit for your truck or equipment, contact your Meritor axle replacement specialists at Pro Gear and Transmission.

Pro Gear stocks every part for your Meritor axle RT46160 and RD23160. We have 1000's of products in shop that are ready to ship internationally for your next project.

For parts or service contact the Meritor specialists at Pro Gear & Transmission, Inc.



Pro Gear and Transmission, Inc | www.progearandtransmission.com | www.pgttruckparts.com 906 West Gore St, Orlando, Fl, 32805 | +1 (877)-776-4600 | +1 (407)-872191 | parts@eprogear.com